

PIEGĀDES LĪGUMS

Līguma Nr. SKUS SKUS 340/14Rīgā, 2014. gada 16. aprīlī

Valsts sabiedrība ar ierobežotu atbildību „Paula Stradiņa klīniskā universitātes slimnīca”, juridiskā adrese: Pilsoņu iela 13, Rīga, Latvija, valdes priekšsēdētāja Dina Šmita un valdes locekles Andas Čakšas personā, kuri rīkojas uz statūtu pamata, (turpmāk – **Pasūtītājs**) no vienas puses

un

sabiedrība ar ierobežotu atbildību „ITS Grupa”, juridiskā adrese: Katrīnas iela 4, Ventspils, LV-3601, projektu vadītāja Agra Silkalna personā, kurš rīkojas uz pilnvaras Nr. 2014/03 pamata, (turpmāk – **Piegādātājs**) no otras puses, Pasūtītājs un Piegādātājs abi kopā saukti **Puses**, bet atsevišķi arī **Puse**, pamatojoties uz iepirkuma procedūras „**Datoru rezerves daļu iepirkums**”, ID Nr. SKUS 2014/08M rezultātiem, noslēdz šādu līgumu (turpmāk – Līgums):

1. LĪGUMA PRIEKŠMETS

Piegādātājs apņemas pārdot un piegādāt Pasūtītājam **datoru rezerves daļas** (turpmāk – **Prece**) saskaņā ar Līgumā un Līguma pielikumā (turpmāk – **Pielikums**) norādīto, bet Pasūtītājs apņemas samaksāt Piegādātājam par atbilstoši Līguma noteikumiem piegādātu Preci.

2. LĪGUMA SUMMA

- 2.1. Maksimālā Līguma summa par Preci bez pievienotās vērtības nodokļa (turpmāk - PVN) ir **EUR 36 408,04** (trīsdesmit seši tūkstoši četri simti astoņi euro un četri centi). PVN Līguma slēgšanas brīdī ir 21 % (divdesmit viens procents), kas ir **EUR 7 645,69** (septiņi tūkstoši seši simti četrdesmit pieci euro un sešdesmit deviņi centi). Maksimālā kopējā Līguma summa ar PVN ir **EUR 44 053,73** (četrdesmit četri tūkstoši piecdesmit trīs euro un septiņdesmit trīs centi).
- 2.2. Līguma summa noteikta, ievērojot Pielikumā noteikto Preces cenu. Līguma summa ietver Preces piegādes izdevumus līdz Līgumā norādītajai piegādes vietai (t.sk. transporta izmaksas), iepakojuma izmaksas, visus nodokļus un nodevas, kā arī citas izmaksas, kas attiecas uz Preci un tās piegādi.
- 2.3. Ja saskaņā ar normatīvajiem aktiem tiek grozīta Preces PVN likme, Līguma summa ar PVN tiek grozīta bez atsevišķas Pušu vienošanās. Šādas PVN likmes izmaiņas stājas spēkā normatīvajos aktos noteiktajā laikā un kārtībā.
- 2.4. Līguma summa bez PVN netiek mainīta visu Līguma darbības laiku.
- 2.5. Ja Līguma darbības laikā Piegādātājs rīko Preces akciju vai piedāvā Preci ar atlaidi, Piegādātāja pienākums ir piegādāt Pasūtītājam Preci ar atlaidi.

3. MAKSĀJUMI

- 3.1. Apmaksa par Preces piegādi tiek veikta euro, atbilstoši Pielikumā noteiktajai cenai, saskaņā ar Piegādātāja iesniegto Preces rēķinu, Pasūtītājam veicot bezskaidras naudas pārskaitījumu uz Piegādātāja rēķinā norādīto bankas kontu 60 (sešdesmit) kalendāro dienu laikā pēc Līgumā noteiktajā kārtībā veiktas abpusējas Preču rēķina parakstīšanas.
- 3.2. Par apmaksas dienu tiek uzskatīta diena, kad Pasūtītājs ir veicis pārskaitījumu uz

Piegādātāja Preču rēķinā norādīto bankas kontu.

4. PRECES NODOŠANAS UN PIENĒMŠANAS KĀRTĪBA

- 4.1. Pasūtītājs Preci pasūta pa telefonu vai izmantojot elektronisko pastu, sazinoties ar Līguma 4.11.2.apakšpunktā norādīto Piegādātāja kontaktpersonu. Pasūtītājs nosaka konkrētu Preces pasūtījuma apjomu un piegādes biežumu.
- 4.2. Piegādātājs pasūtīto Preci piegādā trīs darbdienu laikā no Preces pasūtījuma saņemšanas dienas. Pusēm vienojoties var tikt noteikts cits Preču piegādes termiņš.
- 4.3. Piegādātājs nodrošina Preces piegādi, izmantojot savu transportu un darbaspēku.
- 4.4. Piegādātājs nodod Preci Pasūtītājam kopā ar rēķinu.
- 4.5. Piegādātājs nodrošina, ka Pasūtītājam tiek iesniegti atbilstoši normatīvajiem aktiem noformēti rēķina trīs eksemplāri (viens eksemplārs – Piegādātājam, divi eksemplāri – Pasūtītājam). Rēķinā tiek norādīts piegādātās Preces nosaukums, daudzums, vienas vienības cena euro, PVN likme un kopējā cena ar PVN. Rēķinā obligāti jānorāda Līguma numurs, Preces vienību daudzums un cena. Pasūtītājs neapmaksā nepareizi noformētu rēķinu. Šajā gadījumā Pasūtītāja pienākums ir informēt Piegādātāju, ne vēlāk, kā 3 darba dienu laikā no neatbilstību konstatēšanas brīža, par neatbilstības konstatēšanu. Piegādātāja pienākums ir nekavējoties novērst norādītos trūkumus un iesniegt pareizi sagatavotus un noformētus preču pavaddokumentus un rēķinus. Pēc pareizi noformētu dokumentu saņemšanas Pasūtītājs tos apmaksā līgumā atrunātajā kārtībā.
- 4.6. Pasūtītājs, pieņemot Preci, ir tiesīgs pārbaudīt Preces atbilstību Līguma noteikumiem, pasūtījumam, rēķinam un pārbaudīt Preces kvalitāti. Ja Prece atbilst visām prasībām, tad
➤ Pasūtītāja pārstāvis veic atzīmi par Preces pieņemšanu uz Piegādātājam nododamā rēķina eksemplāra. Ja Prece neatbilst visām prasībām, Pasūtītāja pārstāvis sagatavo Preces defektu aktu un nodod to Piegādātājam. Preces neatbilstības gadījumā Pasūtītājs ir tiesīgs nepieņemt un neapmaksāt Preci.
- 4.7. Piegādātājs pieņem atpakaļ no Pasūtītāja Līgumam neatbilstošu Preci un veic tās aizvietošanu ar atbilstošu Preci trīs darbdienu laikā no Preces defektu akta sagatavošanas dienas par saviem līdzekļiem.
- 4.8. Jautājumu par Preces defektu aktā norādītā pamatotību izlemj Pušu pārstāvji Preces defektu akta sastādīšanas brīdī. Ja pārstāvji nevar vienoties, Pusēm ir tiesības pieaicināt neatkarīgu ekspertu, kura pakalpojumu apmaksā Piegādātājs, ja tiek konstatēts, ka Preces defekta rašanās iemesls nav Pasūtītāja vaina. Ja neatkarīgais eksperts konstatē, ka Preces defekts radies Pasūtītāja vainas dēļ, neatkarīgā eksperta pakalpojumu apmaksā Pasūtītājs.
- 4.9. Prece uzskatāma par piegādātu un nodotu Pasūtītājam ar brīdi, kad Puses abpusēji parakstījušas rēķinu.
- 4.10. Piegādātājs ir atbildīgs par piegādājamās Preces nejaušas, pilnīgas vai daļējas bojāejas vai bojāšanās risku līdz rēķina parakstīšanas brīdim.
- 4.11. Kontaktpersonas Līguma darbības laikā:
 - 4.11.1. no Pasūtītāja puses – Kārlis Bētiņš, tālrunis: 67069693; elektroniskais pasts: karlis.betins@stradini.lv;
 - 4.11.2. no Piegādātāja puses – Agris Silkalns tālrunis: 29263710; elektroniskais pasts administratīvo jautājumiem: agris.silkalns@infoservs.lv; elektroniskais pasts pasūtījumu veikšanai: pasutijumi@infoservs.lv;

5. PRECES KVALITĀTES PRASĪBAS

- 5.1. Piegādātājs garantē, ka piegādātā Prece būs augstas kvalitātes un atbildīs visu to Latvijas Republikas spēkā esošo normatīvo aktu prasībām, kas uz to attiecas.
- 5.2. Piegādātājai Precei jābūt marķētai ar izgatavotāja firmas zīmi un ar pievienotu informāciju par lietošanas tehniskajiem rādītājiem.

- 5.3. Piegādātājs garantē, ka piegādātā Prece atbilst Līguma noteikumiem un ir derīga ekspluatācijai, kā arī to, ka Preces izmantošana atbilstoši tās uzdevumam nenodarīs kaitējumu cilvēka veselībai un dzīvībai.

6. GARANTIJA

- 6.1. Piegādātājs nodrošina piegādātām Precēm garantiju saskaņā ar konkrētās Preces ražotāja noteikto garantijas termiņu, kas nav mazāks par 12 (divpadsmit) mēnešiem no rēķina abpusējas parakstīšanas dienas
- 6.2. Piegādātājs apņemas bez maksas samainīt defektīvo Preci pret jaunu, Līguma noteikumiem atbilstošu, ja defekts ir atklāts Preces garantijas laikā.
- 6.3. Preces garantija neattiecas uz defektiem, kas radušies:
- 6.3.1. lietojot Preci neatbilstoši tās lietošanas norādījumiem (ražotāja instrukcijām);
 - 6.3.2. pierādāmu Preces lietotāju nolaidības, nepareizas Preces lietošanas vai apzinātu bojājumu konstatēšanas gadījumā;
 - 6.3.3. neatļautu izmaiņu veikšanas vai Preces lietošanu tādā veidā, kas ir pretrunā ar Preces ražotāja instrukcijām;
 - 6.3.4. nepārvaramas varas apstākļu rezultātā.
- 6.4. Pasūtītājs nekavējoties rakstiski paziņo Piegādātājam par jebkuru Preces bojājumu vai darbības traucējumiem, kas jānovērš Preces garantijas ietvaros. Piegādātājam ne vēlāk kā 3 (triju) darbdienu laikā no paziņošanas brīža jāierodas uz abpusēju defektu akta sastādīšanu. Ja Piegādātājs šajā termiņā neierodas, Pasūtītājs vienpusēji sagatavo defektu aktu, kas ir saistošs Piegādātājam.
- 6.5. Jautājumu par defektu aktā norādītā pamatotību izlemj Pušu pilnvarotie pārstāvji defektu akta sastādīšanas brīdī. Ja pārstāvji nevar vienoties, Pusēm ir tiesības pieaicināt neatkarīgu ekspertu, kura pakalpojumu apmaksā Izpildītājs, ja tiek konstatēts, ka Preces bojājuma rašanās iemesls nav Pasūtītāja vaina. Ja neatkarīgais eksperts konstatē, ka Preces bojājums radies Pasūtītāja vainas dēļ, neatkarīgā eksperta pakalpojumu apmaksā Pasūtītājs.
- 6.6. Pamatojoties uz defektu aktu, Piegādātājam ne vēlāk kā triju darbdienu laikā no defektu akta apstiprināšanas brīža jānomaina Prece ar jaunu vai ekvivalentu Preci bez papildu maksas.
- 6.7. Ja Preces bojājums radies Pasūtītāja vainas dēļ, Preces apmaiņu apmaksā Pasūtītājs saskaņā ar Pielikumā norādīto Preces cenu.

7. PUŠU ATBILDĪBA

- 7.1. Par Preces nesavlaicīgu piegādi un/vai Līguma 6.6.apakšpunktā noteikto saistību nepildīšanu Piegādātājs maksā Pasūtītājam līgumsodu 0,1% (nulle komats viens procents) apmērā no nepiegādātās Preces vērtības par katru kavējuma dienu, bet ne vairāk kā 10% (desmit procenti) no Līguma 2.1.apakšpunktā norādītās summas.
- 7.2. Par Līgumā noteikto maksājuma termiņu nokavējumu, Pasūtītājs maksā Piegādātājam līgumsodu 0,1% (nulle komats viens procents) apmērā no termiņā nesamaksātās naudas summas par katru nokavējuma dienu, bet ne vairāk kā 10% (desmit procenti) no Līguma 2.1.apakšpunktā norādītās summas.
- 7.3. Līgumā noteikto līgumsodu apmaksā tiek veikta 30 (trīsdesmit) dienu laikā pēc attiecīgās Puses rēķina par līgumsoda samaksu saņemšanas. Ja Piegādātājs nav veicis līgumsoda apmaksu, Pasūtītājam ir tiesības ieturēt attiecīgu naudas summu no maksājumiem Piegādātājam.
- 7.4. Līgumsoda samaksa neatbrīvo Puses no to saistību izpildes.
- 7.5. Puses ir atbildīgas par to darbības/bezdarbības rezultātā otrai Pusei nodarītajiem tiešajiem zaudējumiem.

7.5. Līdz Preces pieņemšanai visus riskus par Preci nes Piegādātājs.

8. NEPĀRVARAMAS VARAS APSTĀKĻI

- 8.1. Puses tiek atbrīvotas no atbildības par daļēju vai pilnīgu Līgumā paredzēto saistību neizpildi, ja saistību neizpilde radusies nepārvaramu, ārkārtēja rakstura apstākļu rezultātā, kuru darbība sākusies pēc Līguma abpusējas parakstīšanas un kurus Puses nevarēja iepriekš paredzēt un novērst.
- 8.2. Pie šādiem apstākļiem pieskaitāmi – ugunsgrēks, kara darbība, epidēmija, dabas stihija, kā arī likumdevēja, izpildinstitūciju un tiesu darbības rezultātā pieņemtie akti, kā arī citi apstākļi, kas neiekļaujas Pušu iespējamās kontroles un ietekmes robežās.
- 8.3. Par nepārvaramas varas apstākļi nevar tikt atzīts, piegādātāju un citu sadarbības partneru saistību neizpilde, vai nesavlaicīga izpilde.
- 8.4. Pusei, kas atsaucas uz nepārvaramu, ārkārtēja rakstura apstākļu darbību, trīs darbdienu laikā par tiem rakstiski jāpaziņo otrai Pusei, norādot iespējamo saistību izpildes termiņu un cēloņsakarības pamatojumu starp šo faktu un nespēju izpildīt savas saistības.
- 8.5. Ja nepārvaramu, ārkārtēja rakstura apstākļu dēļ Līguma izpilde aizkavējas vairāk, kā par 30 (trīsdesmit) dienām, katrai no Pusēm ir tiesības vienpusēji pārtraukt Līgumu. Ja Līgums šādā kārtā tiek pārtraukts, nevienai no Pusēm nav tiesību pieprasīt no otras Puses zaudējumu atlīdzību.

9. LĪGUMA TERMIŅŠ, GROZĪŠANAS UN IZBEIGŠANAS KĀRTĪBA

- 9.1. Līgums stājas spēkā ar dienu, kad tas ir abpusēji parakstīts, un ir spēkā līdz Isākajam no šādiem termiņiem:
 - 9.1.1. līdz Līguma 2.1.apakšpunktā noteiktās summas izlietojumam;
 - 9.1.2. 24 (divdesmit četri mēneši) no Līguma spēkā stāšanās dienas.
- 9.2. Līguma noteikumi var tikt grozīti, Pusēm vienojoties. Visi Līguma grozījumi noformējami rakstiski divos identiskos eksemplāros un pievienojami Līgumam kā neatņemama sastāvdaļa. Viens vienošanās eksemplārs glabājas pie Piegādātāja, bet otrs pie Pasūtītāja.
- 9.3. Līguma grozījumi stājas spēkā ar dienu, kad tie ir abpusēji parakstīti.
- 9.4. Pusēm ir tiesības vienpusēji pārtraukt Līgumu 30 (trīsdesmit) darbdienu iepriekš par to rakstiski brīdinot otru Pusi. Par brīdinājumu tiek uzskatīts rakstveidā noformēts un otrai Pusei nosūtīts paziņojums.
- 9.5. Pasūtītājam ir tiesības vienpusēji pārtraukt Līgumu saskaņā ar Līguma 9.4. apakšpunktu, ja iestāties vismaz viens no šādiem gadījumiem:
 - 9.5.1. notikusi Piegādātāja labprātīga vai piespiedu likvidācija;
 - 9.5.2. pret Piegādātāju uzsākta maksātnespējas procedūra.
- 9.6. Pasūtītājam ir tiesības nekavējoties vienpusēji pārtraukt Līgumu, nosūtot Piegādātājam rakstisku paziņojumu par Līguma pārtraukšanu, un Līgums uzskatāms par pārtrauktu ar dienu, kad Pasūtītājs nosūtījis Piegādātājam šajā apakšpunktā minēto paziņojumu, ja:
 - 9.6.1. Piegādātājs vairāk kā divas reizes piegādājis Preces, kuras kvalitātes prasības būtiski atšķiras no Pielikumā vai Preces instrukcijā norādītajām Preces īpašībām un par to sastādīts attiecīgs akts. Ja Līgums tiek pārtraukts šajā apakšpunktā noteiktā kārtībā. Piegādātājam ir pienākums atmaksāt Pasūtītājam piegādātās nekvalitatīvās Preces vērtību, par kuru veikta samaksa, kā arī pieņemt un aizvest Preci no Pasūtītāja telpām;
 - 9.6.2. Piegādātājs neveic Preces piegādi ilgāk par 10 (desmit) dienām kā noteikts Līguma 4.2.apakšpunktā.

9.7. Piegādātājam ir tiesības vienpusēji pārtraukt Līgumu saskaņā ar Līguma 9.4. apakšpunktu, ja notikusi Pasūtītāja labprātīga vai piespiedu likvidācija.

10. STRĪDU RISINĀŠANAS KĀRTĪBA

- 10.1. Jebkuri no Līguma izrietoši strīdi, kas rodas starp Pusēm, tiek sākotnēji risināti savstarpēju sarunu ceļā.
- 10.2. No Līguma izrietošās saistības ir apspriežamas atbilstoši Latvijas Republikas normatīvajiem aktiem.
- 10.3. Ja 40 (četrdesmit) dienu laikā strīdu nav iespējams atrisināt sarunu ceļā, tas tiek risināts Latvijas Republikas tiesā saskaņā ar spēkā esošajiem normatīvajiem aktiem.
- 10.4. Jautājumi, kas nav atrunāti Līgumā, tiek apspriesti un risināti saskaņā ar Latvijas Republikas normatīvajiem aktiem.

11. CITI NOTEIKUMI

- 11.1. Kādam no Līguma noteikumiem zaudējot spēku normatīvo aktu izmaiņu rezultātā, Līgums nezaudē spēku tā pārējos punktos.
- 11.2. Ja kādai no Pusēm tiek mainīts juridiskais statuss, Puses amatpersonu paraksta tiesības vai kāds no Līgumā minētajiem Puses rekvizītiem, telefona, faksa numurs, e-pasta adrese, biroja, pasta adrese u.c., Puse nekavējoties rakstiski paziņo par to otrai Pusei. Ja Puse neizpilda šī apakšpunkta noteikumus, uzskatāms, ka otra Puse ir pilnībā izpildījusi savas saistības, lietojot Līgumā esošo informāciju par otru Pusi. Šajā apakšpunktā minētie nosacījumi attiecas arī uz Līgumā un tā pielikumos minētajiem Pušu pārstāvjiem un to rekvizītiem.
- 11.3. Līgums ir sagatavots un parakstīts uz 32 (trīsdesmit divām) lapām, tajā skaitā Pielikums uz 27 (divdesmit septiņām) lapām. Līgums sagatavots 2 (divos) vienādos eksemplāros, katrai Pusei pa vienam Līguma eksemplāram. Abiem Līguma eksemplāriem ir vienāds juridisks spēks.

12. PUŠU REKVIZĪTI UN PARAKSTI

VSIA „Paula Stradiņa klīniskā universitātes slimnīca”

Juridiskā adrese:

Pilsoņu iela 13, Rīga, LV - 1002

Tālrunis: +371 67069996

Reģ. Nr. 40003457109

Banka: SEB banka

Bankas kods: UNLALV2X

N/konts: LV93UNLA0003029467144

valdes priekšsēdētājs *[Paraksts]*

valdes locekle A.Čakša

SIA „ITS Grupa”

Juridiskā adrese:

Katrīnas iela 4, Ventspils, LV-3601

Tālrunis: +371 29263710

e-pasts: agris.silkalns@infoservs.lv

Reģ. Nr. 40103239610

Banka: A/S DNB banka

Bankas kods: RIKOLV2X

N/konts: LV20RIK0000201318036

[Paraksts]
projektu vadītājs A.Silkalns



VSIA "Paula Stradiņa Klīniskā universitātes slimnīca"
Finanšu departamenta direktors
Juris Lācis

Informācijas tehnoloģiju daļas vadītājs
Kārlis Bērns
04.04.2014

Ekonomiskā departamenta
Iepirkumu daļas
vadītāja
Areta Zirvinska
04.04.2014

Ekonomiskā departamenta
Iepirkumu daļas
juriste
[Paraksts]
04.04.2014

Iepirkumu daļas juriste
[Paraksts]
04.04.2014

[Paraksts]
04.04.2014

Tehniskais un finanšu piedāvājums

Nr.	Rezerves daļa vai piederums	Piedāvāto Preču nosaukums, modelis, ražotāja kods	Cena par vienu vienību EUR bez PVN
1	Cietais disks SATA2 3.5" 250 Gb	Seagate Barracuda 250GB ST250DM001	31.89
2	Cietais disks SATA2 3.5" 320 Gb	Seagate Barracuda 320GB ST3320613AS	33.44
3	Cietais disks HP 250GB/7200RPM SATA 3GB/S P/N:PY278AA	HP 250GB/7200RPM SATA 3GB/S P/N:PY278AA	82.00
4	Cietais disks SATA3 3.5" 500GB 7.2K	Samsung Spinpoint F3 ST500DM005	35.44
5	Cietais disks HP 500GB 1.5G SATA 7.2K 3.5" MDL NHP P/N: 458941-B21	HP 500GB 1.5G SATA 7.2K 3.5" MDL NHP P/N: 458941-B21	98.00
6	Cietais disks SATA2 3.5" 500 Gb	Samsung Spinpoint F3 ST500DM005	35.44
7	Cietais disks HP 1TB 7.2K SATA 3.5 NHP 3G MDL HD P/N: 507772-B21	HP 1TB 7.2K SATA 3.5 NHP 3G MDL HD P/N: 507772-B21	102.00
8	Cietais disks HP 1TB 3G SATA 7.2K 3.5" MDL HDD P/N: 454146-B21	HP 1TB 3G SATA 7.2K 3.5" MDL HDD P/N: 454146-B21	89.00
9	Cietais disks HP 2TB 3G SATA 7.2K 3.5" MDL HDD P/N: 507632-B21	HP 2TB 3G SATA 7.2K 3.5" MDL HDD P/N: 507632-B21	126.00
10	Cietais disks SATA2 3.5" 1 Tb	Seagate Barracuda 1TB ST1000DM003	41.33
11	Cietais disks SATA2 3.5" 2 Tb	Seagate Barracuda 2TB ST2000DM001	61.45
12	Cietais disks SATA3 3TB 7.2K 6 Gbp/s 3.5"	Seagate Barracuda 3TB ST3000DM001	82.44
13	Cietais disks SATA3 4TB 7.2K 6 Gbp/s 3.5"	WDC AV-GP 4TB WD40EURX	130.00
14	Cietais disks SATA3 2TB 7.2K 6 Gbp/s 3.5"	Seagate Barracuda 2TB ST2000DM001	61.45
15	Cietais disks SATA 2.5" 320 Gb	Hitachi 2.5" 250GB 5K500.B	24.50
16	Cietais disks SATA 2.5" 500 Gb	Toshiba 2.5" 500GB MQ01ABF0	30.50
17	Cietais disks SATA 2.5" 1 Tb	Toshiba 2.5" 1TB MQ01ABD1	43.32
18	Cietais disks PATA 3.5" 250 Gb	WDC SE WD2500AAJB 250GB	41.00
19	Cietais disks PATA 3.5" 320 Gb	WDC SE WD3200AAJB 320GB	45.00
20	Cietais disks PATA 3.5" 500 Gb	WDC SE WD5000AAKB 500GB	52.00
21	Cietais disks 2.5" USB 3/2 500 Gb (ārējais)	Seagate 500GB STSHX-M500TCB	36.00
22	Cietais disks 2.5" USB 3 1 Tb (ārējais)	Seagate 1TB STSHX-M101TCB	49.00
23	Cietais disks 2.5" USB 3 2 Tb (ārējais)	Seagate 2TB STSHX-M201TCB	82.00
24	Cietais disks 2.5" USB 3 1 Tb (ārējais) WiFi	Memup Kiosk LS WiFi 1TB KIOSKLSWIFI1TB	107.00
25	Cietais disks 3.5" USB 3 2 Tb (ārējais)	Seagate 2TB STSHX-D201TDB	57.20
26	Cietais disks 3.5" USB 3 3 Tb (ārējais)	Seagate 3TB STSHX-D301TDB	80.00
27	Cietais disks 3.5" USB 3 4 Tb (ārējais)	Hitachi 4TB OS03400	116.00
28	Cietais disks 3.5" USB 3 3 Tb (ārējais) Ethernet	WDC 3TB WDBCTL0030HWT-EFSN	121.00
29	NAS 2TB (1TB x 2) RJ45 + USB3 RAID 0/1	THECUS N2310	117.66
30	NAS 3TB RJ45 + USB3 RAID 0/1	THECUS N2310	120.00
31	NAS 4TB RJ45 + USB3 RAID 0/1	THECUS N2310	130.00
32	NAS 6TB RJ45 + USB3 RAID 0/1/5	THECUS N4560	337.00

33	Cietais disks 3.5" SAS 73 Gb 15K	Seagate Savvio 73GB ST973451SS	50.00
34	Cietais disks 3.5" SAS 146 Gb 15K	Seagate Cheetah ST3146855SS 146GB	80.00
35	Cietais disks 3.5" SAS 300 Gb 15K	Hitachi 300GB 15K600 0B23661	116.00
36	Cietais disks 3.5" SAS 450 Gb 15K	Seagate Cheetah ST3450856SS 450GB	145.00
37	Cietais disks 3.5" SAS 600 Gb 15K 6 Gb/s	Hitachi 600GB 15K600 0B23663	195.00
38	Cietais disks HP 72GB 15K 2.5" SFF SAS DUAL PORT P/N:512545-B21	HP 72GB 15K 2.5" SFF SAS DUAL PORT P/N:512545-B21	49.00
39	Cietais disks HP 146GB 10K 6G 2.5" SAS P/N:507125-B21	HP 146GB 10K 6G 2.5" SAS P/N:507125-B21	76.00
40	Cietais disks 3.5" SAS 146 Gb 10K	Seagate Cheetah ST3146755SS 146GB	50.00
41	Cietais disks 3.5" SAS 300 Gb 10K	WDC WD3001HKHG 300GB	124.00
42	Cietais disks 3.5" SAS 450 Gb 10K	SEAGATE CHEETAH ST3450856SS 450GB	135.00
43	Cietais disks 3.5" SAS 600 Gb 10K 6Gb/s	WDC WD6001HKHG 600GB	209.00
S	Cietais disks 3.5" SAS 600 Gb 15K 6Gb/s	Seagate ST3600057SS 600GB	212.00
45	Cietais disks 2.5" SAS 73 Gb 10K	Seagate ST973402SS 73GB	40.00
46	Cietais disks 2.5" SAS 146 Gb 10K	Seagate Savvio ST9146802SS 146GB	61.00
47	Cietais disks 2.5" SAS 300 Gb 10K	Seagate ST300MM0006 300GB	120.00
48	Cietais disks 2.5" SAS 450 Gb 10K	Seagate ST9450404SS Savvio 450GB	125.00
49	Cietais disks 2.5" SAS 73 Gb 15K	Seagate Savvio 73GB ST973451SS	52.00
50	Cietais disks 2.5" SAS 146 Gb 15K	Seagate Savvio ST9146852SS 146GB	60.00
51	Cietais disks 2.5" SAS 300 Gb 15K	Seagate Savvio ST9300653SS 300GB	165.00
52	Cietais disks 2.5" SAS 450 Gb 15K	Seagate ST345056SS 450GB	175.00
53	Cietais disks 2.5" SAS 600 Gb 10K.5	Hitachi 15K600 0B23663 600GB	193.00
54	Cietais disks 2.5" SAS 900 Gb 10K.5	Hitachi C10K900 0B26014 900GB	240.00
55	Cietais disks 2.5" SAS 73 Gb 15K 6 Gb/s	Seagate 73GB ST973451SS	53.00
56	Cietais disks 3.5" SAS 2 Tb 7.2K 6 Gb/s 128 MB buffer	Seagate ST2000NM0023 2TB	137.00
57	Cietais disks 3.5" SAS 3 Tb 7.2K 6 Gb/s 128 MB buffer	Seagate ST3000NM0023 3TB	196.00
58	Cietais disks 3.5" SAS 4 Tb 7.2K 6 Gb/s 128MB buffer	Seagate ST4000NM0023 4TB	240.00
59	Cietais disks 3.5" SAS 1 Tb 7.2K 6 Gb/s 128MB buffer	Seagate ST1000NM0023 1TB	83.00
60	Cietais disks HP 1 TB 6G SAS 7.2K 2.5" MDL P/N:605835-B21	HP 1 TB 6G SAS 7.2K 2.5" MDL P/N:605835-B21	150.00
61	Cietais disks HP 450 GB 10K 6G 2.5" SAS DP ENT P/N: 581284-B21	HP 450 GB 10K 6G 2.5" SAS DP ENT P/N: 581284-B21	165.00
62	Cietais disks HP 600 GB 10K 6G 2.5" SAS DP ENT P/N: 581286-B21	HP 600 GB 10K 6G 2.5" SAS DP ENT P/N: 581286-B21	143.00
63	Cietais disks HP 900 GB 6G SAS 10K 2.5" DP ENT P/N: 619291-B21	HP 900 GB 6G SAS 10K 2.5" DP ENT P/N: 619291-B21	242.65
64	Cietais disks HP 1TB 7.2K 3.5" LFF SAS DUAL PORT P/N: 461137-B21	HP 1TB 7.2K 3.5" LFF SAS DUAL PORT P/N: 461137-B21	147.00
65	Disku kontrolieris RAID-5 SAS/SATA 8-CH 256MB PCI-E4X	LCI Logic 9240-8I LSI00200 SGL	217.00
66	Disku kontrolieris RAID-6 SAS/SATA 4-CH 128MB PCI-E8X	LCI Logic 9271-4I LSI00328 SGL	317.00
67	FDD iekārtas 3.5 (Black) internal	EPSON SMD-300	15.00
68	DVD-ROM 16x iekārta PATA	Hitachi GDR-8163B	11.00
69	DVD-ROM 16x iekārta SATA	SAMSUNG SH-118BB/BEBE	10.00
70	DVD-RW 22x iekārta PATA	LG GH22NP20	12.00
71	DVD-RW 22x iekārta SATA	SAMSUNG SH-224DB/BEBE	11.00
72	DVD-RW 8x iekārta External USB 2.0	SAMSUNG SE-208DB/TSBS	19.00
73	DVD-RW iekārta BLU-RAY-Writer	ASUS BW-16D1HT	62.00

	SATA		
74	DVD-RW iekārta BLU-RAY-Reader 6x SATA	ASUS BC-12D2HT	41.00
75	Barošanas bloks ATX2.3 300W	SPS-XP300.(12)R3 XILENCE	19.00
76	Barošanas bloks ATX2.3 350W	SPS-XP350.(12)R3 XILENCE	21.00
77	Barošanas bloks ATX2.3 400W 80Plus	SPS-XP400.(12)R3 XILENCE	22.00
78	Barošanas bloks ATX2.3 450W 80Plus	SPS-XP450.(12)R3 XILENCE	26.00
79	Barošanas bloks ATX2.3 500W 80Plus	SPS-XP500.(12)R3 XILENCE	28.00
80	Barošanas bloks ATX2.3 550W 80Plus	SPS-XP550.(12)R3 XILENCE	31.00
81	Barošanas bloks ATX2.3 600W 80Plus	SPS-XP600.(135)R3 XILENCE	50.00
82	Barošanas bloks ATX2.3 650W 80Plus	SPS-XP700.(135)R3 XILENCE	58.00
83	Barošanas bloks ATX2.3 700W 80Plus	SPS-XP700.(135)R3 XILENCE	58.00
84	Barošanas bloks ATX2.3 750W 80Plus	SPS-XP750.CS.R3 XILENCE	73.00
85	Barošanas bloks ATX2.3 850W 80Plus	SPS-XP850.CS.R3 XILENCE	74.00
86	Barošanas bloks ATX2.3 1000W 80Plus	SPS-XP1000.CS.R3 XILENCE	98.00
87	Barošanas bloks ATX2.3 1500W	SPS-XP1500.CS.R3 XILENCE	140.00
88	Operatīvās atmiņas modulis SDRAM 256MB PC133	Operatīvās atmiņas modulis SDRAM 256MB PC133	8.33
89	Operatīvās atmiņas modulis SDRAM 512MB PC133	Operatīvās atmiņas modulis SDRAM 512MB PC133	9.30
90	Operatīvās atmiņas modulis DDR 512MB 400Mhz	Operatīvās atmiņas modulis DDR 512MB 400Mhz	9.25
91	Operatīvās atmiņas modulis DDR 1GB 400Mhz	Operatīvās atmiņas modulis DDR 1GB 400Mhz	12.00
92	Operatīvās atmiņas modulis DDR2 512MB 667Mhz	Operatīvās atmiņas modulis DDR2 512MB 667Mhz	7.00
93	Operatīvās atmiņas modulis DDR2 1GB 533Mhz	Operatīvās atmiņas modulis Biostar DDR2 1GB 533Mhz	12.00
94	Operatīvās atmiņas modulis DDR2 1GB 667Mhz	Operatīvās atmiņas modulis DDR2 1GB 667Mhz	7.00
95	Operatīvās atmiņas modulis DDR2 1GB 800Mhz	Operatīvās atmiņas modulis DDR2 1GB 800Mhz	8.00
96	Operatīvās atmiņas modulis DDR2 1GB 1066Mhz	Operatīvās atmiņas modulis DDR2 1GB 1066Mhz	8.00
97	Operatīvās atmiņas modulis DDR2 1GB 1200Mhz	Operatīvās atmiņas modulis DDR2 1GB 1200Mhz	12.00
98	Operatīvās atmiņas modulis DDR2 2GB 667Mhz	Operatīvās atmiņas modulis DDR2 2GB 667Mhz	16.00
99	Operatīvās atmiņas modulis DDR2 2GB 800Mhz	Operatīvās atmiņas modulis DDR2 2GB 800Mhz	17.00
100	Operatīvās atmiņas modulis DDR2 2GB 1066Mhz	Operatīvās atmiņas modulis DDR2 2GB 1066Mhz	19.00
101	Operatīvās atmiņas modulis DDR2 2GB 1150Mhz	Operatīvās atmiņas modulis DDR2 2GB 1150Mhz	23.00
102	Operatīvās atmiņas modulis DDR2 4GB 667Mhz	Operatīvās atmiņas modulis VDATA DDR2 4GB 667Mhz	23.50
103	Operatīvās atmiņas modulis DDR2 8GB 800Mhz	Operatīvās atmiņas modulis DDR2 8GB 800Mhz	40.00
104	Operatīvās atmiņas modulis DDR2 8GB 667Mhz	Operatīvās atmiņas modulis DDR2 8GB 667Mhz	42.00
105	Operatīvās atmiņas modulis DDR2 4GB 800Mhz	Operatīvās atmiņas modulis DDR2 4GB 800Mhz	24.00
106	Operatīvās atmiņas modulis DDR3 1GB 1333Mhz	Operatīvās atmiņas modulis DDR3 1GB 1333Mhz	6.00
107	Operatīvās atmiņas modulis DDR3 1GB 1600Mhz	Operatīvās atmiņas modulis DDR3 1GB 1600Mhz	5.50
108	Operatīvās atmiņas modulis DDR3 1GB 1800Mhz	Operatīvās atmiņas modulis DDR3 1GB 1800Mhz	6.50
109	Operatīvās atmiņas modulis DDR3 2GB	Operatīvās atmiņas modulis DDR3 2GB	8.00

	1600Mhz	1600Mhz	
110	Operatīvās atmiņas modulis DDR3 2GB 1333Mhz	Operatīvās atmiņas modulis DDR3 2GB 1333Mhz	8.20
111	Operatīvās atmiņas modulis DDR3 2GB 2000Mhz	Operatīvās atmiņas modulis DDR3 2GB 2000Mhz	8.32
112	Operatīvās atmiņas modulis DDR3 4GB 1333Mhz CL9	Operatīvās atmiņas modulis DDR3 4GB 1333Mhz CL9	20.00
113	Operatīvās atmiņas modulis DDR3 4GB 2000Mhz CL9	Operatīvās atmiņas modulis DDR3 4GB 2000Mhz CL9	22.00
114	Operatīvās atmiņas modulis DDR3 4GB 1600Mhz CL9	Operatīvās atmiņas modulis DDR3 4GB 1600Mhz CL9	23.00
115	Operatīvās atmiņas modulis DDR3 4GB 1866Mhz CL9	Operatīvās atmiņas modulis DDR3 4GB 1866Mhz CL9	24.00
116	Operatīvās atmiņas modulis DDR3 8GB 1333Mhz CL9	Operatīvās atmiņas modulis DDR3 8GB 1333Mhz CL9	55.00
117	Operatīvās atmiņas modulis DDR3 8GB 1600Mhz CL9	Operatīvās atmiņas modulis DDR3 8GB 1600Mhz CL9	57.00
118	Operatīvās atmiņas modulis DDR3 8GB 2000Mhz CL9	Operatīvās atmiņas modulis DDR3 8GB 2000Mhz CL9	70.00
119	Operatīvās atmiņas modulis DDR3 8GB 1866Mhz CL9	Operatīvās atmiņas modulis DDR3 8GB 1866Mhz CL9	68.00
120	Operatīvās atmiņas modulis DDR3 16GB 1333Mhz	Operatīvās atmiņas modulis DDR3 16GB 1333Mhz	132.00
121	Operatīvās atmiņas modulis DDR3 16GB 1600Mhz	Operatīvās atmiņas modulis DDR3 16GB 1600Mhz	136.00
122	Operatīvās atmiņas modulis DDR3 16GB 2000Mhz	Operatīvās atmiņas modulis DDR3 16GB 2000Mhz	140.00
123	Operatīvās atmiņas modulis SODIMM DDR 512MB 400Mhz	Operatīvās atmiņas modulis SODIMM DDR 512MB 400Mhz	6.00
124	Operatīvās atmiņas modulis SODIMM DDR 1Gb 400Mhz	Operatīvās atmiņas modulis SODIMM DDR 1Gb 400Mhz	8.00
125	Operatīvās atmiņas modulis SODIMM DDR 1Gb 667Mhz	Operatīvās atmiņas modulis SODIMM DDR 1Gb 667Mhz	8.50
126	Operatīvās atmiņas modulis SODIMM DDR2 1Gb 800Mhz	Operatīvās atmiņas modulis SODIMM DDR2 1Gb 800Mhz	8.76
127	Operatīvās atmiņas modulis SODIMM DDR2 2Gb 667Mhz	Operatīvās atmiņas modulis SODIMM DDR2 2Gb 667Mhz	9.50
128	Operatīvās atmiņas modulis SODIMM DDR2 2Gb 800Mhz	Operatīvās atmiņas modulis SODIMM DDR2 2Gb 800Mhz	12.00
129	Operatīvās atmiņas modulis SODIMM DDR3 1Gb 1066Mhz	Operatīvās atmiņas modulis SODIMM DDR3 1Gb 1066Mhz	12.40
130	Operatīvās atmiņas modulis SODIMM DDR3-1333 1Gb	Operatīvās atmiņas modulis SODIMM DDR3-1333 1Gb	12.34
131	Operatīvās atmiņas modulis SODIMM DDR3-1333 2Gb	Operatīvās atmiņas modulis SODIMM DDR3-1333 2Gb	12.65
132	Operatīvās atmiņas modulis SODIMM DDR3 2Gb 1066Mhz	Operatīvās atmiņas modulis SODIMM DDR3 2Gb 1066Mhz	12.40
133	Operatīvās atmiņas modulis SODIMM DDR3-1333 4Gb	Operatīvās atmiņas modulis SODIMM DDR3-1333 4Gb	14.00
134	Operatīvās atmiņas modulis SODIMM DDR3-1333 8Gb	Operatīvās atmiņas modulis SODIMM DDR3-1333 8Gb	18.00
135	Operatīvās atmiņas modulis HP 4GB (DDR3 1333 MHz) DIMM P/N: VH638AA	HP 4GB (DDR3 1333 MHz) DIMM P/N: VH638AA	45.00
136	Operatīvās atmiņas modulis HP 2GB (DDR3 1333 MHz) DIMM P/N: AT024AA	HP 2GB (DDR3 1333 MHz) DIMM P/N: AT024AA	38.50
137	Videokarte PCI-E 128Bis 512Mb GDDR2/GDDR3 DVI un VGA	EAT630NHD01F PALIT	40.00

138	Videokarte PCI-E 256Bits 512Mb GDDR2/GDDR3 DVI un VGA	R9270X-DC2T-2GD5 ASUS	167.00
139	Videokarte PCI-E 128Bits 1Gb GDDR2/GDDR3 DVI un VGA	EAT630NHD01F PALIT	40.00
140	Videokarte PCI-E 256Bits 1Gb GDDR2/GDDR3 DVI un VGA	R9270X-DC2T-2GD5 ASUS	167.00
141	Videokarte PCI 64Bits 128Mb DDR VGA	NEAT610LHD06F PALIT	28.00
142	Videokarte AGP 64Bits 256Mb DDR2 VGA	ATI Radeon 9550 256MB AGP	20.00
143	Videokarte AGP 128Bits 256Mb GDDR2 VGA	ATI Radeon 9550 256MB AGP	20.00
144	Videokarte AGP 256Bits 256Mb GDDR2 VDA	ATI Radeon 9550 256MB AGP	20.00
145	Videokarte PCI-E 128Bits 512Mb GDDR3 2 x DVI	NEAT630LHD41F PALIT	40.00
146	Videokarte PCI-E 512Mb GDDR3 DVI un DP	NEAT630LHD41F PALIT	45.00
147	Videokarte GTS 450 PCIE 1GB GDDR3 VGA DVI HDMI	Galaxy NVIDIA GeForce GTS 450	61.00
148	Videokarte GT520 PCIE 1GB DDR3 LP VGA DVI HDMI	NVIDIA GeForce GT 520 DDR3	26.00
149	Videokarte GTX550 TI PCIE 1GB DDR5 192-bit VGA DVI HDMI	NVIDIA GeForce GTX 550 Ti 1GB DDR5	78.00
150	Kabelis no DISPLAYPORT uz VGA DA-CONVERTER	Kabelis no DISPLAYPORT uz VGA DA-CONVERTER	7.00
151	Kabelis no DMS59 uz DUAL VGA	Kabelis no DMS59 uz DUAL VGA	9.00
152	Tikla karte PCI (100 Mbit) 32-bit	Trendnet TE100-PCIWN	5.00
153	Tikla karte PCI (100 Mbit) 64-bit	Intel EXPI9301CTBLK	20.00
154	Tikla karte PCI (1000 Mbit) 32-bit	Trendnet TEG-PCITXR	7.90
155	Tikla karte PCI (1000 Mbit) 64-bit	Intel EXPI9301CTBLK	20.00
156	Tikla karte PCI-E (1000 Mbit) ACPI 2.0	TP-LINK TG-3468	6.00
157	Tikla karte USB (10/100 Mbit)	Logilink UA0025C	7.33
158	Print Server 1xEPP+2xUSB	PS-3207U EDIMAX	31.50
159	Wireless Print Server 1xEPP+2xUSB	TL-WPS510U TP-LINK	33.30
160	Wireless Print Server 802.11G USB	TP-LINK TL-WPS510U	33.30
161	Wireless Router 54Mbps with antenna 2.4 Ghz	D-LINK DAP-1155/A	12.00
162	Wireless Router 54Mbps with antenna 2.4 GHz Dualband Gigabit Router und Access Point WMM Wi-Fi Multimedia, 4x Gigabit RJ-45	D-LINK DIR-825/A	37.00
163	Wireless Camera IP Video/Audio	D-LINK DCS-931L	45.00
164	Wireless karte PCI 300Mbps 802.11n eXtended Range	ASUS PCE-N15	13.00
165	Wireless karte PCMCIA 108Mbps eXtended Range	TP-LINK 108M PCMCIA Wireless	6.00
166	Wireless Antenna 18dBi Outdoor Patch	Netgear ANT24D18 18 dBi Antenna	6.50
167	Router 4port VPN/Firewal USB Print Port	NETGEAR FWG114P	35.00
168	KVM Switch PS/2 (2 Port) cables	KVM Switch EK-PA2C	12.00
169	KVM Switch PS/2 (4 Port) cables, OSD	KVM Switch D-LINK DKVM-4K	22.00
170	KVM Switch PS/2 (8Port) cables, OSD	KVM Switch D-LINK KVM-140	86.00
171	KVM Switch USB (2Port) cables	KVM Switch USB (2Port) cables TK-209K	21.00
172	KVM Switch USB (4Port) cables	KVM Switch USB (4Port) cablesTK-407K	35.50
173	KVM Switch USB (8Port) cables	KVM Switch USB (8Port) cables TK-803	68.00

174	KVM Cable PS/2 1.8m	KVM Cable PS/2 1.8m	5.00
175	KVM Cable PS/2 5.0m	KVM Cable PS/2 5.0m	14.00
176	KVM Cable USB 1.8m	KVM Cable USB 1.8m	5.00
177	KVM Cable USB 5.0m	KVM Cable USB 5.0m	14.00
178	Fiber Module 1Port 1000Base-T	Fiber Module 1Port 1000Base-T	30.00
179	Fiber Module 1Port 1000Base-FX	Fiber Module 1Port 1000Base-FX	35.00
180	Fiber Module 1Port Mini GBICMulti-Mode	Fiber Module 1Port Mini GBICMulti-Mode	39.00
181	Converter Fiber SC,Multi-Mode,2KM	Converter Fiber SC,Multi-Mode,2KM	43.00
182	Converter Fiber SC,Single-Mode,20KM	Converter Fiber SC,Single-Mode,20KM	63.00
183	Converter Fiber SC,Single-Mode,40KM	Converter Fiber SC,Single-Mode,40KM	120.00
184	Converter Fiber ST,Multi-Mode,2KM	Converter Fiber ST,Multi-Mode,2KM	42.00
185	Converter Fiber WDM,Single-Mode,1310nm,20KM	Converter Fiber WDM,Single-Mode,1310nm,20KM	67.00
186	Converter Fiber WDM,Single-Mode,1550nm,20KM	Converter Fiber WDM,Single-Mode,1550nm,20KM	65.00
187	Converter Fiber Gigabit SC,Multi-Mode,202m	Converter Fiber Gigabit SC,Multi-Mode,202m	12.00
198	Processors s775 Intel Celeron Dual-Core E3400	Processors s775 Intel Celeron Dual-Core E3400	20.00
199	Processors s775 Intel Pentium Dual-Core E5400	Processors s775 Intel Pentium Dual-Core E5400	21.00
200	Processors s775 Intel Pentium Dual-Core E6500	Processors s775 Intel Pentium Dual-Core E6500	23.00
201	Processors s775 Intel Pentium Core 2 Duo E7500	Processors s775 Intel Pentium Core 2 Duo E7500	24.00
202	Processors s775 Intel Pentium Core 2 Duo E8400	Processors s775 Intel Pentium Core 2 Duo E8400	24.50
203	Processors s775 Intel Pentium Core 2 Quad Q8300	Processors s775 Intel Pentium Core 2 Quad Q8300	32.00
204	Processors s1366 Intel Core I7 920	Processors s1366 Intel Core I7 920	50.00
205	Processors s1156 Intel Core I3 530	Processors s1156 Intel Core I3 530	32.00
206	Processors s1156 Intel Core I5 650	Processors s1156 Intel Core I5 650	38.00
207	Processors s1156 Intel Core I5 750	Processors s1156 Intel Core I5 750	39.00
208	Processors s1156 Intel Core I5 870	Processors s1156 Intel Core I5 870	42.00
209	Processors Intel CORE I5-2300 2.8Ghz 6M LGA1155 BOX	Processors Intel CORE I5-2300 2.8Ghz 6M LGA1155 BOX	40.00
210	Processors Intel CORE I7-2600 3.4Ghz 8M LGA1155 BOX	Processors Intel CORE I7-2600 3.4Ghz 8M LGA1155 BOX	46.00
211	Processors Intel DUAL CORE E5700 3.0Ghz 2M S775	Processors Intel DUAL CORE E5700 3.0Ghz 2M S775	47.43
212	Processors Intel Xenon 2.5GHZ 1333FSB	Processors Intel Xenon 2.5GHZ 1333FSB	34.00
213	Processors Intel Xeon 3040 1.86/1066/2MB D.Core	Processors Intel Xeon 3040 1.86/1066/2MB D.Core	43.00
214	Processors Intel Xeon 3060 2.4/1066/4MB D.Core	Processors Intel Xeon 3060 2.4/1066/4MB D.Core	45.00
215	Processors Intel Xeon 3070 2.66/1066/4MB D.Core	Processors Intel Xeon 3070 2.66/1066/4MB D.Core	46.00
216	Processors Intel Xeon 3210 1066/8MB QUADCORE	Processors Intel Xeon 3210 1066/8MB QUADCORE	47.00
217	Processors Intel Xeon E5310 1.60Ghz 1066/8M Passive	Processors Intel Xeon E5310 1.60Ghz 1066/8M Passive	32.00
218	Processors Intel Xeon X3220 1066 / 4 M QUAD	Processors Intel Xeon X3220 1066 / 4 M QUAD	28.00
219	Processors AMD ATHLON 64 X2 5400+ AM2 (65W)	Processors AMD ATHLON 64 X2 5400+ AM2 (65W)	15.00
220	Processors AMD OPTERON DP 252 S940	Processors AMD OPTERON DP 252 S940	15.00
221	Processors AMD SEMPRON LE-1200 AM2 45W	Processors AMD SEMPRON LE-1200 AM2 45W	17.00

222	Processors INTEL Core i3 3240 3.4/3M Box LGA1155	Processors INTEL Core i3 3240 3.4/3M Box LGA1155	89.00
223	Processors INTEL Core i3 4340 3.6/4M Box LGA1150	Processors INTEL Core i3 4340 3.6/4M Box LGA1150	123.00
224	Processors Intel Core i5-3350 (6M Cache, up to 3.30 GHz)	Processors Intel Core i5-3350 (6M Cache, up to 3.30 GHz)	134.00
225	Processors Intel Core i5-3570 (6M Cache, 3.40 GHz)	Processors Intel Core i5-3570 (6M Cache, 3.40 GHz)	140.00
226	Processors Intel Core i7-4770S (8M Cache, up to 3.90 GHz)	Processors Intel Core i7-4770S (8M Cache, up to 3.90 GHz)	232.00
227	Processors Intel Pentium G2140 (3M Cache, 3.30 GHz)	Processors Intel Pentium G2140 (3M Cache, 3.30 GHz)	64.00
228	Processors Intel Pentium G2020 (3M Cache, 2.90 GHz)	Processors Intel Pentium G2020 (3M Cache, 2.90 GHz)	36.00
229	Pamatplate P5QL PRO	Pamatplate P5QL PRO	52.00
230	Pamatplate P5Q SE PLUS	Pamatplate P5Q SE PLUS	76.00
231	Pamatplate BLKDH55HC	Pamatplate BLKDH55HC	74.00
232	Pamatplate INTEL ATX G33 LGA775 SATA VGA	Pamatplate INTEL ATX G33 LGA775 SATA VGA	40.00
233	Pamatplate INTEL ATX X38 LGA775 SATA RAID	Pamatplate INTEL ATX X38 LGA775 SATA RAID	43.00
234	Pamatplate INTEL mATX 945G VGA,AUD,DDR2,LAN	Pamatplate INTEL mATX 945G VGA,AUD,DDR2,LAN	40.00
235	Pamatplate INTEL MATX G31 LGA775 SATA VGA	Pamatplate INTEL MATX G31 LGA775 SATA VGA	45.00
236	Pamatplate INTEL S775 IG31 VGA DDR2 SATA2 6-CH ATX	Pamatplate INTEL S775 IG31 VGA DDR2 SATA2 6-CH ATX	48.00
237	Pamatplate Intel Server Board S5000VCL, Callahan SA	Pamatplate Intel Server Board S5000VCL, Callahan SA	50.00
238	Pamatplate Intel Server Board S5000VSASAS Sapello S	Pamatplate Intel Server Board S5000VSASAS Sapello S	53.00
239	Pamatplate INTEL "SORENTO" ATX,VGA,LAN,RAID	Pamatplate INTEL "SORENTO" ATX,VGA,LAN,RAID	34.00
240	Pamatplate INTEL "STOUGHTON" VGA,GBLAN,RAID	Pamatplate INTEL "STOUGHTON" VGA,GBLAN,RAID	37.00
241	Pamatplate INTEL "TAPPEN" M-ATX,VGA,DDR2,GBLAN,RAID	Pamatplate INTEL "TAPPEN" M-ATX,VGA,DDR2,GBLAN,RAID	32.00
242	Datora korpuss MiddleTower Black USB,AV,TAC,	Datora korpuss MiddleTower Black USB,AV,TAC, RC-311B-SKN1	29.00
243	Datora korpuss MicroTower Black, USB,AV,TAC,	Datora korpuss MicroTower Black, USB,AV,TAC, RC-311B-SKN1	25.00
244	Datora korpuss Slim White, USB,AV,TAC,	Datora korpuss Slim White, USB,AV,TAC,	30.00
245	Servera korpuss RackMount, USB,Audio,FANS	Servera korpuss RackMount, USB,Audio,FANS, 4U-500-CA	60.00
246	Servera korpuss Tower USB,Audio,FANS	Servera korpuss Tower USB,Audio,FANS	40.00
247	CF Card 4Gb	CF Card 4Gb SILICON POWER	3.00
248	CF Card 8Gb	CF Card 8Gb SILICON POWER	3.72
249	CF Card 12Gb	CF Card 12Gb SILICON POWER	6.50
250	CF Card 16Gb	CF Card 16Gb SILICON POWER	7.00
251	CF Card 32Gb	CF Card 32Gb SILICON POWER	13.50
252	MM Card 2Gb	MM Card 2Gb	4.00
253	Memory Stick Micro 4Gb	Memory Stick Micro 4Gb	12.00
254	Memory Stick Micro 8Gb	Memory Stick Micro 8Gb	18.00
255	Memory Stick Micro 16Gb	Memory Stick Micro 16Gb	22.00
256	Memory Stick PRO Duo 4Gb	Memory Stick PRO Duo 4Gb	10.00

257	Memory Stick PRO Duo 8Gb	Memory Stick PRO Duo 8Gb	14.00
258	Memory Stick PRO Duo 16Gb	Memory Stick PRO Duo 16Gb	30.00
259	Memory Stick 128Mb	Memory Stick 128Mb	25.00
260	Memory Stick 256Mb	Memory Stick 256Mb	30.00
261	SDHC Card 2Gb	SDHC Card 2Gb	3.00
262	SDHC Card 4Gb	SDHC Card 4Gb	3.50
263	SDHC Card 8Gb Class 10 G2	SDHC Card 8Gb Class 10 G2	6.00
264	SDHC Card 16Gb Class 10 G2	SDHC Card 16Gb Class 10 G2	8.00
265	SDHC Card 32Gb Class 10 G2	SDHC Card 32Gb Class 10 G2	16.00
266	Micro SD Card 4Gb	Micro SD Card 4Gb	3.40
267	Micro SD Card 8Gb	Micro SD Card 8Gb	7.00
268	MINI SD Card 2Gb	MINI SD Card 2Gb	2.00
269	MINI SD HC Card 4Gb	MINI SD HC Card 4Gb	4.00
270	XD Card 2Gb M Type	XD Card 2Gb M Type	2.30
271	Flash memory card 4 Gb USB 2.0	Flash memory card 4 Gb USB 2.0	3.00
272	Flash memory card 8 Gb USB 2.0	Flash memory card 8 Gb USB 2.0	3.72
273	Flash memory card 8 Gb USB 3.0	Flash memory card 8 Gb USB 3.0 SP008GBU	6.00
274	Flash memory card 16 Gb USB 2.0	Flash memory card 16 Gb USB 2.0	7.00
275	Flash memory card 16 Gb USB 3.0	Flash memory card 16 Gb USB 3.0	9.00
276	Flash memory card 32 Gb USB 2.0	Flash memory card 32 Gb USB 2.0	12.00
277	Flash memory card 32 Gb USB 3.0	Flash memory card 32 Gb USB 3.0	14.00
278	Datora pele PS2/USB optiskā Black	Datora pele PS2/USB optiskā Black B120	5.30
279	Datora pele Wireless optiskā Black	Datora pele Wireless optiskā Black M175	9.30
280	Datora pele Bluetooth optiskā Black	Datora pele Bluetooth optiskā Black M557	30.00
281	Klaviatūra PS2/USB Rus, Black	Klaviatūra PS2/USB Rus, Black K100	5.30
282	Klaviatūra Bluetooth Rus, Black	Klaviatūra Bluetooth Rus, Black BKB- 10USWEGSTD	31.00
283	CD-R matricas ar vāciņu 10 gab	CD-R matricas ar vāciņu 10 gab	2.50
284	CD-RW matricas ar vāciņu 10 gab	CD-RW matricas ar vāciņu 10 gab	2.60
285	DVD-R matricas ar vāciņu 10 gab	DVD-R matricas ar vāciņu 10 gab	2.64
286	DVD+R matricas ar vāciņu 10 gab	DVD+R matricas ar vāciņu 10 gab	2.69
287	DVD-RW matricas ar vāciņu 10 gab	DVD-RW matricas ar vāciņu 10 gab	3.00
288	CD-R matricas statnis 50 gab	CD-R matricas statnis 50 gab	10.83
289	CD-RW matricas statnis 50 gab	CD-RW matricas statnis 50 gab	13.40
290	DVD-R matricas statnis 50 gab	DVD-R matricas statnis 50 gab	12.22
291	DVD+R matricas statnis 50 gab	DVD+R matricas statnis 50 gab	12.32
292	DVD-RW matricas statnis 50 gab	DVD-RW matricas statnis 50 gab	14.00
293	CD-R matricas statnis 25 gab	CD-R matricas statnis 25 gab	5.28
294	CD-RW matricas statnis 25 gab	CD-RW matricas statnis 25 gab	7.00
295	DVD-R matricas statnis 25 gab	DVD-R matricas statnis 25 gab	6.22
296	DVD+R matricas statnis 25 gab	DVD+R matricas statnis 25 gab	6.22
297	DVD-RW matricas statnis 25 gab	DVD-RW matricas statnis 25 gab	7.12
298	CD-R matricas statnis apdrukājamas 25 gab iepakojumā	CD-R matricas statnis apdrukājamas 25 gab iepakojumā	6.10
299	CD-R matricas statnis apdrukājamas 50 gab iepakojumā	CD-R matricas statnis apdrukājamas 50 gab iepakojumā	12.00
300	DVD+R matricas statnis apdrukājamas 25 gab iepakojumā	DVD+R matricas statnis apdrukājamas 25 gab iepakojumā	6.84
301	DVD+R matricas statnis apdrukājamas 50 gab iepakojumā	DVD+R matricas statnis apdrukājamas 50 gab iepakojumā	13.60
302	DVD+R matricas statnis apdrukājamas 100 gab iepakojumā	DVD+R matricas statnis apdrukājamas 100 gab iepakojumā	27.15
303	CD-R matricas statnis apdrukājamas 100 gab iepakojumā	CD-R matricas statnis apdrukājamas 100 gab iepakojumā	23.50

104	Kabelis USB 2.0 AM/AF pagar. 1.8m	Kabelis USB 2.0 AM/AF pagar. 1.8m	1.01
105	Kabelis USB 2.0 A-A usb-usb 1.8 m	Kabelis USB 2.0 A-A usb-usb 1.8 m	1.02
106	Kabelis USB 2.0 AM/AF pagar. 3.0 m	Kabelis USB 2.0 AM/AF pagar. 3.0 m	1.80
107	Kabelis USB 2.0 A-B 3.0 m	Kabelis USB 2.0 A-B 3.0 m	1.81
108	Kabelis USB 2.0 A-A usb-usb 3.0 m	Kabelis USB 2.0 A-A usb-usb 3.0 m	1.86
109	Kabelis USB 2.0 A-B 4.5 m	Kabelis USB 2.0 A-B 4.5 m	2.05
110	Kabelis USB 2.0 A-A usb-usb 4.5 m	Kabelis USB 2.0 A-A usb-usb 4.5 m	2.07
111	Kabelis VGA signālu HD15M-HD15M 2.0 m	Kabelis VGA signālu HD15M-HD15M 2.0 m	7.20
112	Kabelis VGA signālu HD15M-HD15M 5.0 m	Kabelis VGA signālu HD15M-HD15M 5.0 m	12.00
113	Kabelis VGA signālu HD15M-HD15M 10.0 m	Kabelis VGA signālu HD15M-HD15M 10.0 m	15.00
114	Kabelis VGA signālu HD15M-HD15M 15.0 m	Kabelis VGA signālu HD15M-HD15M 15.0 m	17.00
115	Kabelis VGA signālu HD15M-HD15M 30.0 m	Kabelis VGA signālu HD15M-HD15M 30.0 m	19.00
116	Kabelis VGA signālu HD15M-HD15M 50.0 m	Kabelis VGA signālu HD15M-HD15M 50.0 m	45.00
117	Kabelis VGA pagar. HD15M-HD15F 2.0 m	Kabelis VGA pagar. HD15M-HD15F 2.0 m	7.00
118	Kabelis VGA pagar. HD15M-HD15F 5.0 m	Kabelis VGA pagar. HD15M-HD15F 5.0 m	12.00
119	Kabelis VGA pagar. HD15M-HD15F 10.0 m	Kabelis VGA pagar. HD15M-HD15F 10.0 m	15.00
120	Kabelis VGA pagar. HD15M-HD15F 15.0 m	Kabelis VGA pagar. HD15M-HD15F 15.0 m	17.50
121	Kabelis VGA pagar. HD15M-HD15F 30.0 m	Kabelis VGA pagar. HD15M-HD15F 30.0 m	19.00
122	Kabelis VGA pagar. HD15M-HD15F 50.0 m	Kabelis VGA pagar. HD15M-HD15F 50.0 m	45.00
123	Kabelis HDMI HDMI M-HDMI M 2.0 m	Kabelis HDMI HDMI M-HDMI M 2.0 m	6.98
124	Kabelis DVI / HDMI 3.0 m	Kabelis DVI / HDMI 3.0 m	10.00
125	Pāreja TT SATA to eSATA	Pāreja TT SATA to eSATA	1.10
126	Pāreja TT SATA to IDE	Pāreja TT SATA to IDE	0.50
127	Pāreja IDE to TT SATA	Pāreja IDE to TT SATA	0.65
128	Adepteris DVI-VGA DVI F-HD15 M	Adepteris DVI-VGA DVI F-HD15 M	7.00
129	Kabelis DVD Scart M to MD4 5.0 m	Kabelis DVD Scart M to MD4 5.0 m	11.00
130	Kabelis Audio PC Speaker <-> PC Sound Card PC Speaker <-> PC Speaker 2x3.5mm stereo plug	Kabelis Audio PC Speaker <-> PC Sound Card PC Speaker <-> PC Speaker 2x3.5mm stereo plug	5.00
131	Adapteris Stereo PC Sound Card <-> Stereo System	Adapteris Stereo PC Sound Card <-> Stereo System	2.00
132	Klaviatūras,peles pagarinātāja kabelis 1.8m M/F	Klaviatūras,peles pagarinātāja kabelis 1.8m M/F	1.10
133	Klaviatūras,peles pagarinātāja kabelis 3.0m M/F	Klaviatūras,peles pagarinātāja kabelis 3.0m M/F	1.80
134	Klaviatūras,peles pagarinātāja kabelis 6.0m M/F	Klaviatūras,peles pagarinātāja kabelis 6.0m M/F	3.00
135	Kabelis ATA datu pāraides kabelis 0.50 m	Kabelis ATA datu pāraides kabelis 0.50 m	0.89
136	Kabelis S-ATA datu pāraides kabelis 0.50 m	Kabelis S-ATA datu pāraides kabelis 0.50 m	0.87
137	Kabelis ATA barošanas kabelis	Kabelis ATA barošanas kabelis	0.23
138	Kabelis S-ATA barošanas kabelis	Kabelis S-ATA barošanas kabelis	0.15
139	Kabelis S-ATA	Kabelis S-ATA	0.19
140	Batteries PACK (2pcs).Recharg. AA NIMH 800mAh	Batteries PACK (2pcs).Recharg. AA NIMH 800mAh	7.00

341	Batteries PACK (2pcs),Recharg. AAA NIMH 2400mAh	Batteries PACK (2pcs),Recharg. AAA NIMH 2400mAh	12.00
342	Batteries PACK (4pcs),Type AAA R03 1.5v	Batteries PACK (4pcs),Type AAA R03 1.5v	1.20
343	Batteries CR2032 3 Volt - 230 mAh 20.0 x 3.2 DL2032, LF-1/2V	Batteries CR2032 3 Volt - 230 mAh 20.0 x 3.2 DL2032, LF-1/2V	0.40
344	Batteries, Type AA 1.5v	Batteries, Type AA 1.5v	0.35
345	Batteries 9V Krona Alkaline	Batteries 9V Krona Alkaline	0.87
346	APC REPLACEMENT BATTERY #32	APC REPLACEMENT BATTERY #32	48.00
347	APC REPLACEMENT BATTERY #33	APC REPLACEMENT BATTERY #33	65.00
348	APC REPLACEMENT BATTERY #48	APC REPLACEMENT BATTERY #48	71.00
349	APC REPLACEMENT BATTERY #43	APC REPLACEMENT BATTERY #43	244.00
350	APC REPLACEMENT BATTERY #55	APC REPLACEMENT BATTERY #55	181.00
351	APC REPLACEMENT BATTERY #35	APC REPLACEMENT BATTERY #35	24.00
352	APC REPLACEMENT BATTERY 12V-7AH	APC REPLACEMENT BATTERY 12V-7AH	36.00
353	APC REPLACEMENT BATTERY #59	APC REPLACEMENT BATTERY #59	88.00
354	APC REPLACEMENT BATTERY #47	APC REPLACEMENT BATTERY #47	19.00
355	UPS 350VA OFF-LINE izejas: 3 x C13	UPS 350VA OFF-LINE izejas: 3 x C13	66.00
356	UPS 500VA OFF-LINE izejas: 3 x C13	UPS 500VA OFF-LINE izejas: 3 x C13	79.00
357	UPS 650VA OFF-LINE	UPS 650VA OFF-LINE (BX650CI)	54.00
358	UPS 750VA OFF-LINE	UPS 750VA OFF-LINE	200.00
359	UPS 1000VA OFF-LINE	UPS 1000VA OFF-LINE	251.00
360	UPS 800VA LINE-INTERACTIVE, izejas: 4 x C13	UPS 800VA LINE-INTERACTIVE, izejas: 4 x C13	90.00
361	UPS 400VA LINE-INTERACTIVE, izejas: 4 x C13	UPS 400VA LINE-INTERACTIVE, izejas: 4 x C13	49.00
362	UPS 1000VA LINE-INTERACTIVE, izejas: 4 x C13 rackmount	UPS 1000VA LINE-INTERACTIVE, izejas: 4 x C13 rackmount	130.00
363	UPS 1500VA LINE-INTERACTIVE, izejas: 4 x C13 rackmount	UPS 1500VA LINE-INTERACTIVE, izejas: 4 x C13 rackmount	185.00
364	UPS 2000VA LINE-INTERACTIVE, izejas: 4 x C13 rackmount	UPS 2000VA LINE-INTERACTIVE, izejas: 4 x C13 rackmount	125.00
365	UPS 2200VA LINE-INTERACTIVE, izejas: 4 x C13 rackmount	UPS 2200VA LINE-INTERACTIVE, izejas: 4 x C13 rackmount	220.00
366	UPS 3000VA LINE-INTERACTIVE, izejas: 4 x C13 rackmount	UPS 3000VA LINE-INTERACTIVE, izejas: 4 x C13 rackmount	421.00
367	Cleaner LCD, Spray 250 ml	Cleaner LCD, Spray 250 ml	2.00
368	Cleaner Screen, Spray 250 ml	Cleaner Screen, Spray 250 ml	2.50
369	Cleaning Foam, Putas	Cleaning Foam, Putas	3.40
370	Cleaning Wet Tissues, Salvetes	Cleaning Wet Tissues, Salvetes	1.00
371	Tumbiņas, 2x2,5W, Black	Tumbiņas, 2x2,5W, Black	8.00
372	Tumbiņas, 2x2,5W, White	Tumbiņas, 2x2,5W, White	8.00
373	Austiņas, 108 dB, 32 Ohm	Austiņas, 108 dB, 32 Ohm	12.00
374	Austiņas, Wireless, 108 dB, 32 Ohm	Austiņas, Wireless, 108 dB, 32 Ohm	24.00
375	Procesora ventilators s754/939/AM2/775/478/1366/1156	Procesora ventilators s754/939/AM2/775/478/1366/1156	6.00
376	Termopasta 2g, darba temperatūra -50 ~ 240°C	Termopasta 2g, darba temperatūra -50 ~ 240°C	1.00
377	Ventilators 80x80x25 12v	Ventilators 80x80x25 12v	1.00
378	Ventilators 80x80x15 12v	Ventilators 80x80x15 12v	0.90
379	Ventilators 92x92x25 12v	Ventilators 92x92x25 12v	1.20
380	Ventilators 40x40x7 12v	Ventilators 40x40x7 12v	0.67
381	Ventilators 50x50x10 12v	Ventilators 50x50x10 12v	0.75
382	Ventilators 60x60x20 12v	Ventilators 60x60x20 12v	0.81
383	Ventilators 70x70x10 12v	Ventilators 70x70x10 12v	0.85

184	Ventilators 120x120x25 12v	Ventilators 120x120x25 12v	2.00
185	Ventilators 140x140x25 12v	Ventilators 140x140x25 12v	2.50
186	Ventilators 200x200x20 12v	Ventilators 200x200x20 12v	3.21
187	Ventilators 230x230x20 12v	Ventilators 230x230x20 12v	3.47
188	APC SURGEARREST 1 X SCHUKO + T	APC SURGEARREST 1 X SCHUKO + T	11.00
189	APC SURGEARREST 1 X SCHUKO 230V	APC SURGEARREST 1 X SCHUKO 230V	12.00
190	APC SURGEARREST 5 X SCHUKO + T 230V	APC SURGEARREST 5 X SCHUKO + T 230V	25.00
191	APC SURGEARREST 5 X SCHUKO + V 230V	APC SURGEARREST 5 X SCHUKO + V 230V	14.50
192	APC SURGEARREST 5 X SCHUKO 230V	APC SURGEARREST 5 X SCHUKO 230V	15.50
193	APC SURGEARREST 6 X SCHUKO + T3	APC SURGEARREST 6 X SCHUKO + T3	22.00
194	APC SURGEARREST 6 X SCHUKO + T3 + V	APC SURGEARREST 6 X SCHUKO + T3 + V	27.00
195	APC SURGEARREST 8 X SCHUKO + V + T3	APC SURGEARREST 8 X SCHUKO + V + T3	42.00
196	APC SURGEARREST MODEM/FAX/DSL/RJ-45+VID.	APC SURGEARREST MODEM/FAX/DSL/RJ-45+VID.	34.50
197	APC SURGEARREST NOTEBOOKPRO C6 TEL/NET	APC SURGEARREST NOTEBOOKPRO C6 TEL/NET	27.00
198	APC SURGEARREST NOTEBOOKPRO C8 TEL/NET	APC SURGEARREST NOTEBOOKPRO C8 TEL/NET	31.00
199	MAGNETO OPTICAL DISK 3,5" MO 640 MB	MAGNETO OPTICAL DISK 3,5" MO 640 MB	20.00
400	MAGNETO OPTICAL DISK 5,25" MO 1,2 GB	MAGNETO OPTICAL DISK 5,25" MO 1,2 GB	13.00
401	MAGNETO OPTICAL DISK 5,25" MO 2,3 GB	MAGNETO OPTICAL DISK 5,25" MO 2,3 GB	33.00
402	MAGNETO OPTICAL DISK 5,25" MO 4,1 GB	MAGNETO OPTICAL DISK 5,25" MO 4,1 GB	49.00
403	MAGNETO OPTICAL DISK 5,25" MO 600 MB	MAGNETO OPTICAL DISK 5,25" MO 600 MB	8.00
404	MAGNETO OPTICAL DISK 5,25" MO 8,6 GB	MAGNETO OPTICAL DISK 5,25" MO 8,6 GB	65.00
405	USB Desktop mikrofons	USB Desktop mikrofons	3.90
406	Konektori kat.5e, RJ-45, 8p8c, neckranēts, savītam kabelim, 10gab. iepak.	Konektori kat.5e, RJ-45, 8p8c, neckranēts, savītam kabelim, 10gab. iepak.	1.60
407	Konektori kat.5e, RJ-45, 8p8c, ekranēts, savītam kabelim, 10gab. iepak.	Konektori kat.5e, RJ-45, 8p8c, ekranēts, savītam kabelim, 10gab. iepak.	1.62
408	Uzmava RJ45, 10 gab.	Uzmava RJ45, 10 gab.	1.55
409	IDC konektors 50f	IDC konektors 50f	0.15
410	Konektori RJ-11, 4p4c, plakanam kabelim, 10gab. iepak.	Konektori RJ-11, 4p4c, plakanam kabelim, 10gab. iepak.	1.20
411	Virsmas montāžas kārba kat. 5e, 2x, UTP, neckranēts, balts	Virsmas montāžas kārba kat. 5e, 2x, UTP, neckranēts, balts	4.00
412	DB9 socket - RJ-45 socket 8P / 8C 8-Wire	DB9 socket - RJ-45 socket 8P / 8C 8-Wire	3.00
413	UTP RJ45 kat. 6e savienotāja elements, melns	UTP RJ45 kat. 6e savienotāja elements, melns	0.92
414	Savienošanas kārba kat. 6e, UTP, balts	Savienošanas kārba kat. 6e, UTP, balts	3.00
415	Savienošanas kārba kat. 6e, STP, metāls, balts	Savienošanas kārba kat. 6e, STP, metāls, balts	2.89
416	Virsmas montāžas kārba kat. 5e, 2x, STP, ekranēts, balts	Virsmas montāžas kārba kat. 5e, 2x, STP, ekranēts, balts	2.98

417	Virsma montāžas kārba kat. 6e, 2x, STP, ekranēts, balts	Virsma montāžas kārba kat. 6e, 2x, STP, ekranēts, balts	3.40
418	Virsma montāžas kārba kat. 6e, 2x, UTP, neekranēts, balt	Virsma montāžas kārba kat. 6e, 2x, UTP, neekranēts, balt	3.00
419	Vienlīmeņa montāžas kārba kat. 5e, 2x, UTP, neekranēts	Vienlīmeņa montāžas kārba kat. 5e, 2x, UTP, neekranēts	2.00
420	STP RJ45 kat. 5e savienotāja elements	STP RJ45 kat. 5e savienotāja elements,	3.00
421	UTP RJ45 kat. 5e savienotāja elements	UTP RJ45 kat. 5e savienotāja elements,	2.00
422	Keystone ligzda kat. 6a RJ-45, neekranēts	Keystone ligzda kat. 6a RJ-45, neekranēts	3.60
423	Keystone ligzda kat. 5e RJ-45, neekranēts	Keystone ligzda kat. 5e RJ-45, neekranēts	3.30
424	Konektori kat.6, RJ-45, 8p8c, neekranēts, ar iespraudni, cietam kabelim, 10gab. iepak., apzeltīti k.	Konektori kat.6, RJ-45, 8p8c, neekranēts, ar iespraudni, cietam kabelim, 10gab. iepak., apzeltīti k.	3.30
425	Konektori kat.6, RJ-45, 8p8c, ekranēts, savītam kabelim, 10gab. iepak., apzeltīti kontakti	Konektori kat.6, RJ-45, 8p8c, ekranēts, savītam kabelim, 10gab. iepak., apzeltīti kontakti	4.00
426	Konektori kat.6, RJ-45, 8p8c, neekranēts, savītam kabelim, 10gab. iepak., apzeltīti kontakti	Konektori kat.6, RJ-45, 8p8c, neekranēts, savītam kabelim, 10gab. iepak., apzeltīti kontakti	3.10
427	RJ-45 Keystone moduļa uzmava kat.6, neekranēts	RJ-45 Keystone moduļa uzmava kat.6, neekranēts	0.02
428	RJ-45 Keystone moduļa uzmava kat.6, ekranēts	RJ-45 Keystone moduļa uzmava kat.6, ekranēts	0.02
429	UTP kab. kat.5e, 0.5m	UTP kab. kat.5e, 0.5m	0.50
430	UTP kab. kat.5e, 1.0m	UTP kab. kat.5e, 1.0m	0.95
431	UTP kab. kat.5e, 2.0m	UTP kab. kat.5e, 2.0m	1.55
432	UTP kab. kat.5e, 3.0m	UTP kab. kat.5e, 3.0m	2.21
433	UTP kab. kat.5e, 10m	UTP kab. kat.5e, 10m	3.50
434	UTP kab. kat.5e, 20m	UTP kab. kat.5e, 20m	8.50
435	UTP kab. kat.5e, 5.0m	UTP kab. kat.5e, 5.0m	2.70
436	UTP kab. kat.5e, 15m	UTP kab. kat.5e, 15m	5.70
437	UTP kab. kat.5e, 7.0m	UTP kab. kat.5e, 7.0m	4.00
438	UTP kab. kat.6, ciets, AWG24, 300m	UTP kab. kat.6, ciets, AWG24, 300m	72.00
439	UTP kab. kat.6, 0.5m	UTP kab. kat.6, 0.5m	0.40
440	UTP kab. kat.6, 1.0m	UTP kab. kat.6, 1.0m	0.80
441	UTP kab. kat.6, 2.0m	UTP kab. kat.6, 2.0m	1.30
442	UTP kab. kat.6, 3.0m	UTP kab. kat.6, 3.0m	2.30
443	UTP kab. kat.6, 5.0m	UTP kab. kat.6, 5.0m	2.90
444	UTP kab. kat.6, 7.0m	UTP kab. kat.6, 7.0m	2.03
445	UTP kab. kat.6, 10.0m	UTP kab. kat.6, 10.0m	3.60
446	Koaksiālais kabelis RG-59, 75 Ohm, 100m	Koaksiālais kabelis RG-59, 75 Ohm, 100m	15.00
447	S/FTP (PiMF) kab. kat.6, 0.5m	S/FTP (PiMF) kab. kat.6, 0.5m	1.10
448	S/FTP (PiMF) kab. kat.6, 1.0m	S/FTP (PiMF) kab. kat.6, 1.0m	1.30
449	S/FTP (PiMF) kab. kat.6, 2.0m	S/FTP (PiMF) kab. kat.6, 2.0m	1.80
450	S/FTP (PiMF) kab. kat.6, 3.0m	S/FTP (PiMF) kab. kat.6, 3.0m	2.00
451	S/FTP (PiMF) kab. kat.6, 5.0m	S/FTP (PiMF) kab. kat.6, 5.0m	2.40
452	S/FTP (PiMF) kab. kat.6, 7.0m	S/FTP (PiMF) kab. kat.6, 7.0m	2.90
453	S/FTP (PiMF) kab. kat.6, 10m	S/FTP (PiMF) kab. kat.6, 10m	3.60
454	S/FTP (PiMF) kab. kat.6, 1.5m	S/FTP (PiMF) kab. kat.6, 1.5m	1.40
455	UTP kab. kat.5e, 0.5CU, 305m	UTP kab. kat.5e, 0.5CU, 305m	45.00
456	UTP kab. kat.5e, 0.5CCA, 305m, ar vara pārklājumu	UTP kab. kat.5e, 0.5CCA, 305m, ar vara pārklājumu	42.00
457	UTP kab. kat.6, 1.5m	UTP kab. kat.6, 1.5m	0.90
458	UTP kab. kat.6, 0.5m	UTP kab. kat.6, 0.5m	0.60
459	UTP kab. kat.6, 1.0m	UTP kab. kat.6, 1.0m	0.72

460	UTP kab. kat.6, 2.0m	UTP kab. kat.6, 2.0m	1.60
461	UTP kab. kat.6, 3.0m	UTP kab. kat.6, 3.0m	1.82
462	UTP kab. kat.6, 5.0m	UTP kab. kat.6, 5.0m	1.93
463	UTP kab. kat.6, 7.0m	UTP kab. kat.6, 7.0m	2.00
464	UTP kab. kat.6, 10m	UTP kab. kat.6, 10m	2.40
465	FTP kabelis kat.5e, 0.5m	FTP kabelis kat.5e, 0.5m	0.80
466	FTP kabelis kat.5e, 1.0m	FTP kabelis kat.5e, 1.0m	1.00
467	FTP kabelis kat.5e, 2.0m	FTP kabelis kat.5e, 2.0m	1.50
468	FTP kabelis kat.5e, 3.0m	FTP kabelis kat.5e, 3.0m	2.10
469	FTP kabelis kat.5e, 5.0m	FTP kabelis kat.5e, 5.0m	2.50
470	FTP kabelis kat.5e, 7.0m	FTP kabelis kat.5e, 7.0m	2.80
471	FTP kabelis kat.5e, 10m	FTP kabelis kat.5e, 10m	3.50
472	FTP kabelis kat.5e, 15m	FTP kabelis kat.5e, 15m	3.80
473	FTP kabelis kat.5e, 20m	FTP kabelis kat.5e, 20m	4.00
474	UTP plakans tīkla kabelis, 0.50m	UTP plakans tīkla kabelis, 0.50m	0.70
475	UTP plakans tīkla kabelis, 3.0m	UTP plakans tīkla kabelis, 3.0m	1.60
476	UTP plakans tīkla kabelis, 2.0m	UTP plakans tīkla kabelis, 2.0m	1.50
477	UTP plakans tīkla kabelis, 1.0m	UTP plakans tīkla kabelis, 1.0m	1.10
478	UTP plakans tīkla kabelis, 1.0m	UTP plakans tīkla kabelis, 1.0m	1.09
479	S/FTP kabelis kat.5e, 0.5m	S/FTP kabelis kat.5e, 0.5m	0.90
480	S/FTP kabelis kat.5e, 1.0m	S/FTP kabelis kat.5e, 1.0m	1.20
481	S/FTP kabelis kat.5e, 2.0m	S/FTP kabelis kat.5e, 2.0m	1.80
482	S/FTP kabelis kat.5e, 3.0m	S/FTP kabelis kat.5e, 3.0m	2.50
483	S/FTP kabelis kat.5e, 5.0m	S/FTP kabelis kat.5e, 5.0m	2.90
484	S/FTP kabelis kat.5e, 7.0m	S/FTP kabelis kat.5e, 7.0m	3.30
485	S/FTP kabelis kat.5e, 10m	S/FTP kabelis kat.5e, 10m	3.80
486	S/FTP kabelis kat.5e, 15m	S/FTP kabelis kat.5e, 15m	4.40
487	S/FTP kabelis kat.5e, 20m	S/FTP kabelis kat.5e, 20m	5.40
488	FTP kabelis kat.5e, ciets, AWG24, 300m	FTP kabelis kat.5e, ciets, AWG24, 300m	56.00
489	Termostats	Termostats	3.10
490	M6 skrūve	M6 skrūve	0.10
491	IU organiz. horizontāls, metāla gredzeni 45x7	IU organiz. horizontāls, metāla gredzeni 45x7	4.40
492	IU organiz. plastmasas gredzeni 44/64, EXCEL	IU organiz. plastmasas gredzeni 44/64, EXCEL	16.40
493	8x220V 19" elektrības panelis ar slēdzi, metāla	8x220V 19" elektrības panelis ar slēdzi, metāla	14.20
494	8x220V 19" elektrības panelis ar slēdzi, plastmasas	8x220V 19" elektrības panelis ar slēdzi, plastmasas	14.20
495	8x220V 19" elektrības panelis ar slēdzi, plastmasas	8x220V 19" elektrības panelis ar slēdzi, plastmasas	8.50
496	19" IU plaukts 250mm	19" IU plaukts 250mm	13.50
497	19" IU plaukts 450mm ar aizmugures stiprinājumu	19" IU plaukts 450mm ar aizmugures stiprinājumu	14.40
498	19" IU plaukts 550mm ar aizmugures stiprinājumu	19" IU plaukts 550mm ar aizmugures stiprinājumu	14.40
499	19" IU plaukts 550mm ar aizmugures stiprinājumu	19" IU plaukts 550mm ar aizmugures stiprinājumu	14.40
500	19" IU plaukts 550mm ar aizmugures stiprinājumu	19" IU plaukts 550mm ar aizmugures stiprinājumu	14.40
501	19" IU plaukts 550mm ar aizmugures stiprinājumu	19" IU plaukts 550mm ar aizmugures stiprinājumu	2.80
502	Ventilators 220V	Ventilators 220V	28.50
503	19" IU ventilatoru bloks, 2 ventilatori	19" IU ventilatoru bloks, 2 ventilatori	32.80
504	19" IU ventilatoru bloks ar termostatu, 2 ventilatori	19" IU ventilatoru bloks ar termostatu, 2 ventilatori	28.50

805	Ģriestu ventilatoru bloks 600 skapim, 2 ventilatori	Ģriestu ventilatoru bloks 600 skapim, 2 ventilatori	34.20
806	Ģriestu ventilatoru bloks 600 skapim, 4 ventilatori	Ģriestu ventilatoru bloks 600 skapim, 4 ventilatori	34.20
807	Ģriestu ventilatoru bloks 1000 skapim, 4 ventilatori	Ģriestu ventilatoru bloks 1000 skapim, 4 ventilatori	34.20
808	Ģriestu ventilatoru bloks 800 skapim, 4 ventilatori	Ģriestu ventilatoru bloks 800 skapim, 4 ventilatori	7.10
809	Atbalsta sliede L-tipa 600mm skapim	Atbalsta sliede L-tipa 600mm skapim	7.10
810	Atbalsta sliede L-tipa 800mm skapim	Atbalsta sliede L-tipa 800mm skapim	7.10
811	Atbalsta sliede L-tipa 800mm skapim	Atbalsta sliede L-tipa 800mm skapim	5.70
812	19" 1U plaukts 300mm klaviatūrai, izvelkams 4p.fiksācija	19" 1U plaukts 300mm klaviatūrai, izvelkams 4p.fiksācija	8.50
813	19" 1U plaukts 350mm ar aizmugures stiprinājumu	19" 1U plaukts 350mm ar aizmugures stiprinājumu	11.40
814	19" 2U plaukts 200mm	19" 2U plaukts 200mm	11.40
815	19" 2U plaukts 200mm	19" 2U plaukts 200mm	15.70
816	9x220V 19" elektrības panelis bez slēdža, plastmasas	9x220V 19" elektrības panelis bez slēdža, plastmasas	2.80
817	Vertikāls kabeļu organizators, 2m	Vertikāls kabeļu organizators, 2m	2.80
818	Vertikāls kabeļu organizators, 2m	Vertikāls kabeļu organizators, 2m	79.80
819	19" sienas skapis 12U-600x450 ar stikla durvīm	19" sienas skapis 12U-600x450 ar stikla durvīm	87.70
820	19" sienas skapis 12U-600x600 ar stikla durvīm	19" sienas skapis 12U-600x600 ar stikla durvīm	88.30
821	19" sienas skapis 15U-600x450 ar stikla durvīm	19" sienas skapis 15U-600x450 ar stikla durvīm	100.90
822	19" sienas skapis 15U-600x600 ar stikla durvīm	19" sienas skapis 15U-600x600 ar stikla durvīm	110.40
823	19" sienas skapis 18U-600x450 ar stikla durvīm	19" sienas skapis 18U-600x450 ar stikla durvīm	117.50
824	19" sienas skapis 18U-600x600 ar stikla durvīm	19" sienas skapis 18U-600x600 ar stikla durvīm	123.50
825	19" sienas skapis 22U-600x450 ar stikla durvīm	19" sienas skapis 22U-600x450 ar stikla durvīm	129.60
826	19" sienas skapis 22U-600x600 ar stikla durvīm	19" sienas skapis 22U-600x600 ar stikla durvīm	168.10
827	19" sienas skapis 27U-600x450 ar stikla durvīm	19" sienas skapis 27U-600x450 ar stikla durvīm	183.80
828	19" sienas skapis 27U-600x600 ar stikla durvīm	19" sienas skapis 27U-600x600 ar stikla durvīm	44.90
829	19" sienas skapis 6U, 368x570x465mm	19" sienas skapis 6U, 368x570x465mm	55.60
830	19" sienas skapis 6U-600x450 ar stikla durvīm	19" sienas skapis 6U-600x450 ar stikla durvīm	64.10
831	19" sienas skapis 9U, 505x570x465mm	19" sienas skapis 9U, 505x570x465mm	70.00
832	19" sienas skapis 9U-600x450 ar stikla durvīm	19" sienas skapis 9U-600x450 ar stikla durvīm	71.20
833	19" sienas skapis 9U-600x500 ar stikla durvīm	19" sienas skapis 9U-600x500 ar stikla durvīm	79.40
834	19" sienas skapis 9U-600x600 ar stikla durvīm	19" sienas skapis 9U-600x600 ar stikla durvīm	83.10
835	19" sienas skapis 12U-600x520 ar stikla durvīm	19" sienas skapis 12U-600x520 ar stikla durvīm	92.20
836	19" sienas skapis 15U-600x500 ar stikla durvīm	19" sienas skapis 15U-600x500 ar stikla durvīm	93.80
837	19" sienas skapis 15U-600x520 ar stikla durvīm	19" sienas skapis 15U-600x520 ar stikla durvīm	149.60
838	19" sienas skapis 15U-600x800 ar stikla durvīm	19" sienas skapis 15U-600x800 ar stikla durvīm	57.00

339	19" sienas skapis 6U-600x600 ar stikla durvīm	19" sienas skapis 6U-600x600 ar stikla durvīm	49.90
340	19" sienas skapis 6U-600x400 ar stikla durvīm, neatveramas sānu malas	19" sienas skapis 6U-600x400 ar stikla durvīm, neatveramas sānu malas	40.40
341	19" sienas skapis 6U-600x300 ar stikla durvīm	19" sienas skapis 6U-600x300 ar stikla durvīm	36.50
342	19" sienas skapis 6U-600x150 ar stikla durvīm, neatveramas sānu malas	19" sienas skapis 6U-600x150 ar stikla durvīm, neatveramas sānu malas	42.20
343	19" sienas skapis 4U-600x400 ar stikla durvīm, neatveramas sānu malas	19" sienas skapis 4U-600x400 ar stikla durvīm, neatveramas sānu malas	3.80
344	FO Cable,62.5-125µm,ST-SC,1.0m	FO Cable,62.5-125µm,ST-SC,1.0m	6.10
345	FO Cable,62.5-125µm,ST-SC,2.0m	FO Cable,62.5-125µm,ST-SC,2.0m	7.50
346	FO Cable,62.5-125µm,ST-SC,3.0m	FO Cable,62.5-125µm,ST-SC,3.0m	8.70
347	FO Cable,62.5-125µm,ST-SC,5.0m	FO Cable,62.5-125µm,ST-SC,5.0m	14.20
348	FO Cable,62.5-125µm,ST-SC,10m	FO Cable,62.5-125µm,ST-SC,10m	3.00
349	FO Cable,62.5-125µm,LC-LC,1.0m	FO Cable,62.5-125µm,LC-LC,1.0m	5.80
350	FO Cable,62.5-125µm,LC-LC,2.0m	FO Cable,62.5-125µm,LC-LC,2.0m	7.30
351	FO Cable,62.5-125µm,LC-LC,3.0m	FO Cable,62.5-125µm,LC-LC,3.0m	8.50
352	FO Cable,62.5-125µm,LC-LC,5.0m	FO Cable,62.5-125µm,LC-LC,5.0m	14.00
353	FO Cable,62.5-125µm,LC-LC,10m	FO Cable,62.5-125µm,LC-LC,10m	7.40
354	Fibre Optic Jumper kabelis 62.5/125µm SC/SC, 1m	Fibre Optic Jumper kabelis 62.5/125µm SC/SC, 1m	5.70
355	FO Cable,62.5-125µm,SC-SC,2.0m	FO Cable,62.5-125µm,SC-SC,2.0m	5.90
356	FO Cable,62.5-125µm,SC-SC,3.0m	FO Cable,62.5-125µm,SC-SC,3.0m	7.60
357	FO Cable,62.5-125µm,SC-SC,5.0m	FO Cable,62.5-125µm,SC-SC,5.0m	12.30
358	FO Cable,62.5-125µm,SC-SC,10m	FO Cable,62.5-125µm,SC-SC,10m	6.40
359	FO Cable,62.5-125µm,LC-SC,1.0m	FO Cable,62.5-125µm,LC-SC,1.0m	7.70
360	FO Cable,62.5-125µm,LC-SC,3.0m	FO Cable,62.5-125µm,LC-SC,3.0m	10.10
361	FO Cable,62.5-125µm,LC-SC,5.0m	FO Cable,62.5-125µm,LC-SC,5.0m	17.10
362	FO Cable,62.5-125µm,LC-SC,10m	FO Cable,62.5-125µm,LC-SC,10m	4.70
363	FO Cable,62.5-125µm,ST-ST,1.0m	FO Cable,62.5-125µm,ST-ST,1.0m	5.20
364	FO Cable,62.5-125µm,ST-ST,2.0m	FO Cable,62.5-125µm,ST-ST,2.0m	5.50
365	FO Cable,62.5-125µm,ST-ST,3.0m	FO Cable,62.5-125µm,ST-ST,3.0m	6.50
366	FO Cable,62.5-125µm,ST-ST,5.0m	FO Cable,62.5-125µm,ST-ST,5.0m	7.70
367	FO Cable,62.5-125µm,ST-ST,10m	FO Cable,62.5-125µm,ST-ST,10m	4.90
368	FO Cable,62.5-125µm,LC-ST,1.0m	FO Cable,62.5-125µm,LC-ST,1.0m	5.00
369	FO Cable,62.5-125µm,LC-ST,2.0m	FO Cable,62.5-125µm,LC-ST,2.0m	6.20
370	FO Cable,62.5-125µm,LC-ST,5.0m	FO Cable,62.5-125µm,LC-ST,5.0m	7.60
371	FO Cable,62.5-125µm,LC-ST,10m	FO Cable,62.5-125µm,LC-ST,10m	3.00
372	FO Cable,50-125µm,ST-ST,1.0m	FO Cable,50-125µm,ST-ST,1.0m	3.30
373	FO Cable,50-125µm,ST-ST,2.0m	FO Cable,50-125µm,ST-ST,2.0m	3.60
374	FO Cable,50-125µm,ST-ST,3.0m	FO Cable,50-125µm,ST-ST,3.0m	3.80
375	FO Cable,50-125µm,ST-ST,3.0m	FO Cable,50-125µm,ST-ST,3.0m	9.30
376	FO Cable,50-125µm,ST-ST,10m	FO Cable,50-125µm,ST-ST,10m	3.00
377	FO Cable,50-125µm,LC-LC,1.0m	FO Cable,50-125µm,LC-LC,1.0m	3.30
378	FO Cable,50-125µm,LC-LC,2.0m	FO Cable,50-125µm,LC-LC,2.0m	3.80
379	FO Cable,50-125µm,LC-LC,3.0m	FO Cable,50-125µm,LC-LC,3.0m	4.10
380	FO Cable,50-125µm,LC-LC,5.0m	FO Cable,50-125µm,LC-LC,5.0m	10.90
381	FO Cable,50-125µm,LC-LC,10m	FO Cable,50-125µm,LC-LC,10m	4.40
382	FO Cable,50-125µm,ST-SC,2.0m, multi mode	FO Cable,50-125µm,ST-SC,2.0m, multi mode	4.60
383	FO Cable,50-125µm,ST-SC,3.0m	FO Cable,50-125µm,ST-SC,3.0m	5.10
384	FO Cable,50-125µm,ST-SC,5.0m	FO Cable,50-125µm,ST-SC,5.0m	12.30
385	FO Cable,50-125µm,ST-SC,10m	FO Cable,50-125µm,ST-SC,10m	3.00

586	FO Cable,50-125µm,LC-SC,1.0m	FO Cable,50-125µm,LC-SC,1.0m	4.00
587	FO Cable,50-125µm,LC-SC,2.0m	FO Cable,50-125µm,LC-SC,2.0m	10.90
588	FO Cable,50-125µm,LC-SC,10m	FO Cable,50-125µm,LC-SC,10m	2.90
589	FO Cable,50-125µm,SC-SC,1.0m	FO Cable,50-125µm,SC-SC,1.0m	3.50
590	FO Cable,50-125µm,SC-SC,2.0m	FO Cable,50-125µm,SC-SC,2.0m	3.70
591	FO Cable,50-125µm,SC-SC,5.0m	FO Cable,50-125µm,SC-SC,5.0m	9.30
592	FO Cable,50-125µm,SC-SC,10m	FO Cable,50-125µm,SC-SC,10m	3.50
593	FO Cable,50-125µm,LC-ST,1.0m	FO Cable,50-125µm,LC-ST,1.0m	3.80
594	FO Cable,50-125µm,LC-ST,2.0m	FO Cable,50-125µm,LC-ST,2.0m	4.10
595	FO Cable,50-125µm,LC-ST,3.0m	FO Cable,50-125µm,LC-ST,3.0m	4.90
596	FO Cable,50-125µm,LC-ST,5.0m	FO Cable,50-125µm,LC-ST,5.0m	10.10
597	FO Cable,50-125µm,LC-ST,10m	FO Cable,50-125µm,LC-ST,10m	12.00
598	Fibre Optic Jumper kabelis, 50/125µm, LC/LC, OM3, 2m	Fibre Optic Jumper kabelis, 50/125µm, LC/LC, OM3, 2m	5.90
600	POE Splitter 10/100mb (1 LAN PoE Input, 1 LAN output, 1 power output)	POE Splitter 10/100mb (1 LAN PoE Input, 1 LAN output, 1 power output)	29.00
600	POE Injector 10/100MB (1 LAN data input, 1 LAN PoE output, 1 power input)	POE Injector 10/100MB (1 LAN data input, 1 LAN PoE output, 1 power input)	21.60
601	Power Supply For VoIP 5V/2A	Power Supply For VoIP 5V/2A	5.70
602	SSD SATA 240 GB 2.5" 20nm MLC 6Gb/s	KINGSTON SH103S3/240G	148.00
603	SSD SATA 180 GB 2.5" 20nm MLC 6Gb/s	INTEL SSDSC2BW180A4K5	125.00
604	SSD SATA 120 GB 2.5" 20nm MLC 6Gb/s	Kingston SH103S3/120G	73.00
605	SSD SATA 80 GB 2.5" 20nm MLC 6Gb/s	INTEL SSDSC2BW080A4K5	85.00
606	SSD SATA 160 GB 2.5" 20nm MLC 6Gb/s	INTEL SSDSC2BB160G401	137.00
607	SSD MSATA 120GB MLC/525 SSDMCEAC120B301 INTEL	SSD MSATA 120GB MLC/525 SSDMCEAC120B301 INTEL	155.00
608	SSD SATA 500 GB MLC 6Gbp/s 2.5"	SAMSUNG MZ-7TE500BW	258.00
609	SSD SATA 750 GB MLC 6Gbp/s 2.5"	SAMSUNG MZ-7TE750BW	354.00
610	SSD SATA 1TB MLC 6Gbp/s 2.5"	SAMSUNG MZ-7TE1T0BW	433.00
611	SSD SATA 480 GB MLC 6Gbp/s 2.5"	Kingston SH103S3/480G	319.00
612	SSD SATA 960 GB MLC 6Gbp/s 2.5"	Crucial CT480M500SSD1	249.00
613	Notebook cooler 1x140mm fan	Notebook cooler 1x140mm fan NP19	20.00
614	Notebook cooler 15,6" nb with 2.1-channel speakers, 1x140 mm fan	Notebook cooler 15,6" nb with 2.1-channel speakers, 1x140 mm fan	16.00
615	Notebook cooler Multicore x4 up to 15.6" nb, 4x100mm fan	Notebook cooler Multicore x4 up to 15.6" nb, 4x100mm fan	10.00
616	Notebook cooler Multicore x6 up to 15.6" nb, 2x140mm fan+ 2x100mm fan	Notebook cooler Multicore x6 up to 15.6" nb, 2x140mm fan+ 2x100mm fan	11.00
617	Notebook cooler N1 up to 15.6" nb, 1x180mm fan	Notebook cooler N1 up to 15.6" nb, 1x180mm fan	8.95
618	Notebook cooler N180 up to 17" nb, 1x180mm fan	Notebook cooler N180 up to 17" nb, 1x180mm fan	9.60
619	Notebook cooler N1blue up to 15.6" nb, 1x180mm fan	Notebook cooler N1blue up to 15.6" nb, 1x180mm fan	8.95
620	Notebook cooler N1green up to 15.6" nb, 1x180mm fan	Notebook cooler N1green up to 15.6" nb, 1x180mm fan	8.95
621	Notebook cooler N1orange up to 15.6" nb, 1x180mm fan	Notebook cooler N1orange up to 15.6" nb, 1x180mm fan	8.95
622	Notebook cooler N1red up to 15.6" nb, 1x180mm fan	Notebook cooler N1red up to 15.6" nb, 1x180mm fan	8.95
623	Notebook cooler N200 up to 15.4" nb, 1x120mm fan	Notebook cooler N200 up to 15.4" nb, 1x120mm fan	3.75

624	Notebook cooler N400 Blue up to 15.4" nb, 1x140mm fan	Notebook cooler N400 Blue up to 15.4" nb, 1x140mm fan	4.75
625	Komutātors, 5-port UTP 10/100Mbps Auto-sensing, Stand-alone, Unmanaged, Palm-top Fast Ethernet Switch, External Power supply	Komutātors, 5-port UTP 10/100Mbps Auto-sensing, Stand-alone, Unmanaged, Palm-top Fast Ethernet Switch, External Power supply, DES-1005	7.00
626	Komutātors, 5-Port 10/100Mbps with 1 PoE Ports, Stand-alone, Unmanaged PoE Switch, 5 10Base-T/100Base-TX ports	Komutātors, 5-Port 10/100Mbps with 1 PoE Ports, Stand-alone, Unmanaged PoE Switch, 5 10Base-T/100Base-TX ports, DES-1005P	29.00
627	Komutātors, Small case 8-port UTP 10/100Mbps Auto-sensing, Stand-alone, Unmanaged, Palm-top Fast Ethernet	Komutātors, Small case 8-port UTP 10/100Mbps Auto-sensing, Stand-alone, Unmanaged, Palm-top Fast Ethernet, ES-1008	9.00
628	Komutātors, 16-Port 10/100BASE-TX Unmanaged, compact plastic case, 3.2 Gbps switching fabric	Komutātors, 16-Port 10/100BASE-TX Unmanaged, compact plastic case, 3.2 Gbps switching fabric, DES-1016A/C1	21.00
629	Komutātors, 16-Port 10/100BASE-TX Unmanaged, 11" metal case	Komutātors, 16-Port 10/100BASE-TX Unmanaged, 11" metal case, DES-1016D	29.21
630	Komutātors, 24-port UTP 10/100Mbps Auto-sensing, Stand-alone, Unmanaged, 8K MAC addresses, Desk-top size Switch with plastic case	Komutātors, 24-port UTP 10/100Mbps Auto-sensing, Stand-alone, Unmanaged, 8K MAC addresses, Desk-top size Switch with plastic case, DES-1024A/C1	31.00
631	Komutātors, 24-port UTP 10/100Mbps Auto-sensing, Stand-alone, Unmanaged, Desk-top size Switch, Rackmountable	Komutātors, 24-port UTP 10/100Mbps Auto-sensing, Stand-alone, Unmanaged, Desk-top size Switch, Rackmountable, DES-1024D	37.00
632	Komutātors, 24-port UTP 10/100Mbps + 2-port 10/100/1000Mbps Gigabit Ethernet port, Auto MDI-X for each TX port, Stand-alone, Unmanaged, 19"	Komutātors, 24-port UTP 10/100Mbps + 2-port 10/100/1000Mbps Gigabit Ethernet port, Auto MDI-X for each TX port, Stand-alone, Unmanaged, 19", DES-1026G	64.00
633	Komutātors, 48-Port 10/100BASE-T + 2-Port 10/100/1000BASE-T Gigabit Ethernet port, Auto MDI-X for each TX port, Stand-alone, Unmanaged, 19" Rackmount Fast Ethernet Switch	Komutātors, 48-Port 10/100BASE-T + 2-Port 10/100/1000BASE-T Gigabit Ethernet port, Auto MDI-X for each TX port, Stand-alone, Unmanaged, 19" Rackmount Fast Ethernet Switch, DES-1050G	135.00
634	Komutātors, 16 ports compact 11", 16 10BASE-T/100BASE-TX ports, 802.3x Flow Control, StaticTrunk, PortMirroring, IGMP Snooping, 802.1Q VLAN up to 32, VID range 1-4094, LoopBack detection, QoS, Bandwidth Control, Static MAC, Broadcast/Multicast storm control, WebUI control	Komutātors, 16 ports compact 11", 16 10BASE-T/100BASE-TX ports, 802.3x Flow Control, StaticTrunk, PortMirroring, IGMP Snooping, 802.1Q VLAN up to 32, VID range 1-4094, LoopBack detection, QoS, Bandwidth Control, Static MAC, Broadcast/Multicast storm control, WebUI control, DES-1100-16	51.00
635	Komutātors, 24 ports compact 11", 24 10BASE-T/100BASE-TX ports, 802.3x Flow Control, StaticTrunk, PortMirroring, IGMP Snooping, 802.1Q VLAN up to 32, VID range 1-4094, LoopBack detection, QoS, Bandwidth Control, Static MAC, Broadcast/Multicast storm control, WebUI control, Smart Console Utility	Komutātors, 24 ports compact 11", 24 10BASE-T/100BASE-TX ports, 802.3x Flow Control, StaticTrunk, PortMirroring, IGMP Snooping, 802.1Q VLAN up to 32, VID range 1-4094, LoopBack detection, QoS, Bandwidth Control, Static MAC, Broadcast/Multicast storm control, WebUI control, Smart Console Utility, DES-1100-24	65.00

636	Komutātors, 24 ports 10/100Mbps and Combo 10/100/1000BASE-T/SFP, 802.3x Flow Control, StaticTrunk, PortMirroring, IGMP Snooping, 802.1Q VLAN up to 32, VID range 1-4094, LoopBack detection, QoS, Bandwidth Control, Static MAC, Broadcast/Multicast storm control, WebUI control, Smart Console Utility, Standard 19" Rack-mount size	Komutātors, 24 ports 10/100Mbps and Combo 10/100/1000BASE-T/SFP, 802.3x Flow Control, StaticTrunk, PortMirroring, IGMP Snooping, 802.1Q VLAN up to 32, VID range 1-4094, LoopBack detection, QoS, Bandwidth Control, Static MAC, Broadcast/Multicast storm control, WebUI control, Smart Console Utility, Standard 19" Rack-mount size, DES-1100-26	96.00
637	Komutātors, 8 PoE ports 10/100Mbps, Fanless, 802.3x Flow Control, Static Port Trunking, 4094 – 802.1Q VLAN, 802.1p Priority Queues, ACL, IGMP Snooping, Port mirroring, Static MAC function support, 802.1D Spanning Tree, Ip-Mac-Port-Binding, 802.1X Port-based Access Control, Broadcast Storm Control, Safeguard Engine, Cable Diagnostics, Web-based management, Windows-based Management Utility, SNMP v.1 with MIB support	Komutātors, 8 PoE ports 10/100Mbps, Fanless, 802.3x Flow Control, Static Port Trunking, 4094 – 802.1Q VLAN, 802.1p Priority Queues, ACL, IGMP Snooping, Port mirroring, Static MAC function support, 802.1D Spanning Tree, Ip-Mac-Port-Binding, 802.1X Port-based Access Control, Broadcast Storm Control, Safeguard Engine, Cable Diagnostics, Web-based management, Windows-based Management Utility, SNMP v.1 with MIB support, DES-1210-08P	149.00
638	Komutātors, 8 ports 10/100Mbps and 2 Combo 10/100/1000BASE-T/SFP, Fanless, 802.3x Flow Control, 4094 – 802.1Q VLAN, 802.1p Priority Queues, Traffic Segmentation, Bandwidth Control, 240 ACL Support, IP-MAC-Port Binding, Port Security, Port mirroring, PPPoE Incesrtion, , Radius Authorization, IGMP snooping, ISM VLAN, IGMP Authentication, Broadcast Storm Control, Safeguard Engine, Cable Diagnostics, 802.1D (STP), 802.1w (RSTP), 802.1s MSTP, STP Loopback Detection, 802.3ad Link Aggregation, 802.1x Port-based Access Control, 802.1x MAC-based Access Control, 802.1x Guest VLAN, Single IP Management, Web-configuration, CLI, Telnet, TFTP, SNMP v3, Standard 19" Rack-mount size	Komutātors, 8 ports 10/100Mbps and 2 Combo 10/100/1000BASE-T/SFP, Fanless, 802.3x Flow Control, 4094 – 802.1Q VLAN, 802.1p Priority Queues, Traffic Segmentation, Bandwidth Control, 240 ACL Support, IP-MAC-Port Binding, Port Security, Port mirroring, PPPoE Incesrtion, , Radius Auththorization, IGMP snooping, ISM VLAN, IGMP Authentication, Broadcast Storm Control, Safeguard Engine, Cable Diagnostics, 802.1D (STP), 802.1w (RSTP), 802.1s MSTP, STP Loopback Detection, 802.3ad Link Aggregation, 802.1x Port-based Access Control, 802.1x MAC-based Access Control, 802.1x Guest VLAN, Single IP Management, Web-configuration, CLI, Telnet, TFTP, SNMP v3, Standard 19" Rack-mount size, DES-1210-10/ME	111.00
639	Komutātors, 8 ports 10/100Mbps and 2 Combo 10/100/1000BASE-T/SFP, Fanless, 802.3x Flow Control, 4094 – 802.1Q VLAN, 802.1p Priority Queues, Traffic Segmentation, Bandwidth Control (Per port granularity 64Kb/s), 240 ACL Support, IP-MAC-Port Binding, Port Security, Port mirroring, PPPoE Incesrtion, , Radius Auththorization, IGMP snooping, ISM VLAN, IGMP Authentication, Broadcast Storm Control, Safeguard Engine, Cable Diagnostics, 802.1D (STP), 802.1w (RSTP), 802.1s MSTP, STP Loopback Detection, 802.3ad Link Aggregation, 802.1x Port-based Access Control, 802.1x MAC-based Access Control, 802.1x Guest VLAN, Single IP Management, Web-configuration, CLI, Telnet, TFTP, SNMP v3, Standard 19" Rack-mount size	Komutātors, 8 ports 10/100Mbps and 2 Combo 10/100/1000BASE-T/SFP, Fanless, 802.3x Flow Control, 4094 – 802.1Q VLAN, 802.1p Priority Queues, Traffic Segmentation, Bandwidth Control (Per port granularity 64Kb/s), 240 ACL Support, IP-MAC-Port Binding, Port Security, Port mirroring, PPPoE Incesrtion, , Radius Auththorization, IGMP snooping, ISM VLAN, IGMP Authentication, Broadcast Storm Control, Safeguard Engine, Cable Diagnostics, 802.1D (STP), 802.1w (RSTP), 802.1s MSTP, STP Loopback Detection, 802.3ad Link Aggregation, 802.1x Port-based Access Control, 802.1x MAC-based Access Control, 802.1x Guest VLAN, Single IP Management, Web-configuration, CLI, Telnet, TFTP, SNMP v3, Standard 19" Rack-mount size, DES-1210-10/ME/B1	118.00

640	<p>Komutātors, 24 10/100Base-TX + 2 Combo of 10/100/1000BASE-T/SFP, Fanless, 802.3x Flow Control, 4094 – 802.1Q VLAN, 802.1p Priority Queues, Traffic Segmentation, Bandwidth Control, 256 ACL Support, IP-MAC-Port Binding, Port Security, Port Mirroring, PPPoE Insertion, RADIUS & TACACS+ Auth for Mgmt, Broadcast Storm Control, Safeguard Engine, Cable Diagnostics, DHCP Relay Option 82, 802.1D (STP), 802.1w (RSTP), 802.1s MSTP, STP Loopback Detection, 802.3ad Link Aggregation, 802.1x Port-based Access Control, 802.1x MAC-based Access Control, 802.1x Guest VLAN, IGMP Snooping, ISM VLAN, IGMP Authentication, IGMP Filtering, VLAN Trunking, Port-Based Q-in-Q, DoS Attack Prevention, BPDU Protection, Single IP Management, Web-configuration, CLI, Telnet, TFTP, SNMP v3, SSH, RMON, Dual configurations, Standard 19" Rack-mount size</p>	<p>Komutātors, 24 10/100Base-TX + 2 Combo of 10/100/1000BASE-T/SFP, Fanless, 802.3x Flow Control, 4094 – 802.1Q VLAN, 802.1p Priority Queues, Traffic Segmentation, Bandwidth Control, 256 ACL Support, IP-MAC-Port Binding, Port Security, Port Mirroring, PPPoE Insertion, RADIUS & TACACS+ Auth for Mgmt, Broadcast Storm Control, Safeguard Engine, Cable Diagnostics, DHCP Relay Option 82, 802.1D (STP), 802.1w (RSTP), 802.1s MSTP, STP Loopback Detection, 802.3ad Link Aggregation, 802.1x Port-based Access Control, 802.1x MAC-based Access Control, 802.1x Guest VLAN, IGMP Snooping, ISM VLAN, IGMP Authentication, IGMP Filtering, VLAN Trunking, Port-Based Q-in-Q, DoS Attack Prevention, BPDU Protection, Single IP Management, Web-configuration, CLI, Telnet, TFTP, SNMP v3, SSH, RMON, Dual configurations, Standard 19" Rack-mount size, DES-1210-26/ME</p>	135.00
641	<p>Komutātors, 24 ports 10/100Mbps and 2 ports 10/100/1000Mbps and 2 Combo 10/100/1000BASE-T/SFP, Fanless, 802.3x Flow Control, 4094 – 802.1Q VLAN, 802.1p Priority Queues, Traffic Segmentation, Bandwidth Control, 240 ACL Support, IP-MAC-Port Binding, Port Security, Port mirroring, PPPoE Insertion, , Radius Authorization, IGMP snooping, ISM VLAN, IGMP Authentication, Broadcast Storm Control, Safeguard Engine, Cable Diagnostics 802.1D (STP), 802.1w (RSTP), 802.1s MSTP, STP Loopback Detection, 802.3ad Link Aggregation, 802.1x Port-based Access Control, 802.1x MAC-based Access Control, 802.1x Guest VLAN, Single IP Management, Web-configuration, CLI, Telnet, TFTP, SNMP v3, Standard 19" Rack-mount size</p>	<p>Komutātors, 24 ports 10/100Mbps and 2 ports 10/100/1000Mbps and 2 Combo 10/100/1000BASE-T/SFP, Fanless, 802.3x Flow Control, 4094 – 802.1Q VLAN, 802.1p Priority Queues, Traffic Segmentation, Bandwidth Control, 240 ACL Support, IP-MAC-Port Binding, Port Security, Port mirroring, PPPoE Insertion, , Radius Authorization, IGMP snooping, ISM VLAN, IGMP Authentication, Broadcast Storm Control, Safeguard Engine, Cable Diagnostics 802.1D (STP), 802.1w (RSTP), 802.1s MSTP, STP Loopback Detection, 802.3ad Link Aggregation, 802.1x Port-based Access Control, 802.1x MAC-based Access Control, 802.1x Guest VLAN, Single IP Management, Web-configuration, CLI, Telnet, TFTP, SNMP v3, Standard 19" Rack-mount size, DES-1210-28/ME</p>	145.00

642	<p>Komutātors, 24 10/100Base-TX + 2 Combo of 10/100/1000BASE-T/SFP + 2 SFP, Fanless, 802.3x Flow Control, 4094 – 802.1Q VLAN, 802.1p Priority Queues, Traffic Segmentation, Bandwidth Control (Per port granularity 64Kb/s), 256 ACL Support, IP-MAC-Port Binding, Port Security, Port Mirroring, PPPoE Incesrtion, RADIUS & TACACS+ Auth for Mgmt, Broadcast Storm Control, Safeguard Engine, Cable Diagnostics, DHCP Relay Option 82, 802.1D (STP), 802.1w (RSTP), 802.1s MSTP, STP Loopback Detection, 802.3ad Link Aggregation, 802.1x Port-based Access Control, 802.1x MAC-based Access Control, 802.1x Guest VLAN, IGMP Snooping, ISM VLAN, IGMP Authentication, IGMP Filtering, VLAN Trunking, Port-Based Q-in-Q, DoS Attack Prevention, BPDU Protection, Single IP Management, Web-configuration, CLI, Telnet, TFTP, SNMP v3, SSH, RMON, Dual configurations, Standard 19" Rack-mount size, Surge Protection(All Ethernet ports have 6 KV surge protection)</p>	<p>Komutātors, 24 10/100Base-TX + 2 Combo of 10/100/1000BASE-T/SFP + 2 SFP, Fanless, 802.3x Flow Control, 4094 – 802.1Q VLAN, 802.1p Priority Queues, Traffic Segmentation, Bandwidth Control (Per port granularity 64Kb/s), 256 ACL Support, IP-MAC-Port Binding, Port Security, Port Mirroring, PPPoE Incesrtion, RADIUS & TACACS+ Auth for Mgmt, Broadcast Storm Control, Safeguard Engine, Cable Diagnostics, DHCP Relay Option 82, 802.1D (STP), 802.1w (RSTP), 802.1s MSTP, STP Loopback Detection, 802.3ad Link Aggregation, 802.1x Port-based Access Control, 802.1x MAC-based Access Control, 802.1x Guest VLAN, IGMP Snooping, ISM VLAN, IGMP Authentication, IGMP Filtering, VLAN Trunking, Port-Based Q-in-Q, DoS Attack Prevention, BPDU Protection, Single IP Management, Web-configuration, CLI, Telnet, TFTP, SNMP v3, SSH, RMON, Dual configurations, Standard 19" Rack-mount size, Surge Protection(All Ethernet ports have 6 KV surge protection)</p>	156.00
643	<p>Komutātors, 24 PoE ports 10/100Mbps and 2 ports 10/100/1000Mbps and 2 Combo 10/100/1000BASE-T/SFP, Fanless, 802.3x Flow Control, Static Port Trunking, 4094 – 802.1Q VLAN, 802.1p Priority Queues, ACL, IGMP Snooping, Port mirroring, Static MAC function support, 802.1D Spanning Tree, Ip-Mac-Port-Binding802.1X Port-based Access Control, Broadcast Storm Control, Safeguard Engine, Cable Diagnostics, Web-based management, Windows-based Management Utility, SNMP v.1 with MIB support, Standard 19" Rack-mount size</p>	<p>Komutātors, 24 PoE ports 10/100Mbps and 2 ports 10/100/1000Mbps and 2 Combo 10/100/1000BASE-T/SFP, Fanless, 802.3x Flow Control, Static Port Trunking, 4094 – 802.1Q VLAN, 802.1p Priority Queues, ACL, IGMP Snooping, Port mirroring, Static MAC function support, 802.1D Spanning Tree, Ip-Mac-Port-Binding802.1X Port-based Access Control, Broadcast Storm Control, Safeguard Engine, Cable Diagnostics, Web-based management, Windows-based Management Utility, SNMP v.1 with MIB support, Standard 19" Rack-mount size, DES-1210-28P/B1</p>	326.00
644	<p>Komutātors, 48 ports 10/100Mbps and 2 ports 10/100/1000Mbps and 2 Combo 10/100/1000BASE-T/SFP, Fanless, 802.3x Flow Control, Static Port Trunking, 4094 – 802.1Q VLAN, 802.1p Priority Queues, ACL, IGMP Snooping, Port mirroring, Static MAC function support, 802.1D Spanning Tree, Ip-Mac-Port-Binding802.1X Port-based Access Control, Broadcast Storm Control, Safeguard Engine, Cable Diagnostics, Web-based management, Windows-based Management Utility, SNMP v.1 with MIB support, Standard 19" Rack-mount size</p>	<p>Komutātors, 48 ports 10/100Mbps and 2 ports 10/100/1000Mbps and 2 Combo 10/100/1000BASE-T/SFP, Fanless, 802.3x Flow Control, Static Port Trunking, 4094 – 802.1Q VLAN, 802.1p Priority Queues, ACL, IGMP Snooping, Port mirroring, Static MAC function support, 802.1D Spanning Tree, Ip-Mac-Port-Binding802.1X Port-based Access Control, Broadcast Storm Control, Safeguard Engine, Cable Diagnostics, Web-based management, Windows-based Management Utility, SNMP v.1 with MIB support, Standard 19" Rack-mount size, DGS-1210-52/ME/ETA</p>	386.00

645	Komutātors, 10-Port 10/100Mbps + 2 Combo 1000BASE-T/SFP L2 Management Switch, 4K of 802.1Q VLAN Support, QoS support, Traffic Segmentation, Bandwidth Control (Per port granularity 64Kb/s), 512 profiles, 512 rules ACL, IP-MAC-Port Binding, Selective QinQ, Port Security, IGMP snooping, Port mirroring, 802.1D (STP), 802.1w (RSTP), 802.1s MSTP, STP Loopback Detection, 802.3ad Link Aggregation, 802.1x Port-based Access Control, 802.1x MAC-based Access Control, 802.1x Guest VLAN, Single IP Management, Web-configuration, CLI, Telnet, TFTP, SNMP v3	Komutātors, 10-Port 10/100Mbps + 2 Combo 1000BASE-T/SFP L2 Management Switch, 4K of 802.1Q VLAN Support, QoS support, Traffic Segmentation, Bandwidth Control (Per port granularity 64Kb/s), 512 profiles, 512 rules ACL, IP-MAC-Port Binding, Selective QinQ, Port Security, IGMP snooping, Port mirroring, 802.1D (STP), 802.1w (RSTP), 802.1s MSTP, STP Loopback Detection, 802.3ad Link Aggregation, 802.1x Port-based Access Control, 802.1x MAC-based Access Control, 802.1x Guest VLAN, Single IP Management, Web-configuration, CLI, Telnet, TFTP, SNMP v3, DES-3200-10	139.00
646	Komutātors, 16-Port 10/100Mbps + 2 Combo 1000BASE-T/SFP L2 Management Switch, 4K of 802.1Q VLAN Support, QoS support, Traffic Segmentation, Bandwidth Control (Per port granularity 64Kb/s), 512 profiles, 512 rules ACL, IP-MAC-Port Binding, Selective QinQ, Port Security, IGMP snooping, Port mirroring, 802.1D (STP), 802.1w (RSTP), 802.1s MSTP, STP Loopback Detection, 802.3ad Link Aggregation, 802.1x Port-based Access Control, 802.1x MAC-based Access Control, 802.1x Guest VLAN, Single IP Management, Web-configuration, CLI, Telnet, TFTP, SNMP v3	Komutātors, 16-Port 10/100Mbps + 2 Combo 1000BASE-T/SFP L2 Management Switch, 4K of 802.1Q VLAN Support, QoS support, Traffic Segmentation, Bandwidth Control (Per port granularity 64Kb/s), 512 profiles, 512 rules ACL, IP-MAC-Port Binding, Selective QinQ, Port Security, IGMP snooping, Port mirroring, 802.1D (STP), 802.1w (RSTP), 802.1s MSTP, STP Loopback Detection, 802.3ad Link Aggregation, 802.1x Port-based Access Control, 802.1x MAC-based Access Control, 802.1x Guest VLAN, Single IP Management, Web-configuration, CLI, Telnet, TFTP, SNMP v3, DES-3200-18	178.00
647	Komutātors, 24-Port 10/100Mbps + 2 Combo 10/100/1000BASE-T/SFP L2 Management Switch, 4K of 802.1Q VLAN Support, 802.1v, QoS support, Traffic Segmentation, Bandwidth Control (Per port granularity 8Kb/s), 4 ACL profiles, up to 1024 ACL rules, IP-MAC-Port Binding, Selective and Port-based QinQ, Port Security, Port mirroring, IGMP snooping, ISM VLAN, IGMP Radius Authentication, PPPoE Insertion, DHCP Relay/local relay, LLDP, 802.1D (STP), 802.1w (RSTP), 802.1s MSTP, ERPS, Loopback Detection, 802.1AX and 802.3ad compatible Link Aggregation, OAM 802.3ah, 802.1x Port-based Access Control, 802.1x MAC-based Access Control, 802.1x Guest VLAN, Single IP Management, Web-configuration, CLI, Telnet, SSH, TFTP, SNMP, v3, Console Port: RJ-45, Surge Protection: All Ethernet ports have 6 KV surge protection	Komutātors, 24-Port 10/100Mbps + 2 Combo 10/100/1000BASE-T/SFP L2 Management Switch, 4K of 802.1Q VLAN Support, 802.1v, QoS support, Traffic Segmentation, Bandwidth Control (Per port granularity 8Kb/s), 4 ACL profiles, up to 1024 ACL rules, IP-MAC-Port Binding, Selective and Port-based QinQ, Port Security, Port mirroring, IGMP snooping, ISM VLAN, IGMP Radius Authentication, PPPoE Insertion, DHCP Relay/local relay, LLDP, 802.1D (STP), 802.1w (RSTP), 802.1s MSTP, ERPS, Loopback Detection, 802.1AX and 802.3ad compatible Link Aggregation, OAM 802.3ah, 802.1x Port-based Access Control, 802.1x MAC-based Access Control, 802.1x Guest VLAN, Single IP Management, Web-configuration, CLI, Telnet, SSH, TFTP, SNMP, v3, Console Port: RJ-45, Surge Protection: All Ethernet ports have 6 KV surge protection, DES-3200-26	225.00

648	<p>Komutātors, 24-Port 10/100Mbps+2 Combo 10/100/1000BASE-T/100/1000SFP + 2 100/1000 SFP L2 Management Switch, 4K of 802.1Q VLAN Support, QoS support, Traffic Segmentation, Bandwidth Control (Per port granularity 64Kb/s) 512 profiles, 512 rules ACL, IP-MAC-Port Binding, Selective QinQ, Port Security, IGMP snooping, Port mirroring 802.1D (STP), 802.1w (RSTP), 802.1s MSTP, STP Loopback Detection, 802.3ad Link Aggregation, 802.1x Port-based Access Control, 802.1x MAC-based Access Control, 802.1x Guest VLAN Single IP Management, Web-configuration, CLI, Telnet, TFTP, SNMP v3</p>	<p>Komutātors, 24-Port 10/100Mbps+2 Combo 10/100/1000BASE-T/100/1000SFP + 2 100/1000 SFP L2 Management Switch, 4K of 802.1Q VLAN Support, QoS support, Traffic Segmentation, Bandwidth Control (Per port granularity 64Kb/s) 512 profiles, 512 rules ACL, IP-MAC-Port Binding, Selective QinQ, Port Security, IGMP snooping, Port mirroring 802.1D (STP), 802.1w (RSTP), 802.1s MSTP, STP Loopback Detection, 802.3ad Link Aggregation, 802.1x Port-based Access Control, 802.1x MAC-based Access Control, 802.1x Guest VLAN Single IP Management, Web-configuration, CLI, Telnet, TFTP, SNMP v3, DES-3200-28</p>	219.00
649	<p>Komutātors, 24-Port 100Mbps SFP open slots + 4 Combo 1000BASE-T/SFP L2 Management Switch, 4K of 802.1Q VLAN Support, QoS support, Traffic Segmentation, Bandwidth Control (Per port granularity 64Kb/s), 512 profiles, 512 rules ACL, IP-MAC-Port Binding, Selective QinQ, Port Security, IGMP snooping, Port mirroring, 802.1D (STP), 802.1w (RSTP), 802.1s MSTP, STP Loopback Detection, 802.3ad Link Aggregation, 802.1x Port-based Access Control, 802.1x MAC-based Access Control, 802.1x Guest VLAN, Single IP Management, Web-configuration, CLI, Telnet, TFTP, SNMP v3</p>	<p>Komutātors, 24-Port 100Mbps SFP open slots + 4 Combo 1000BASE-T/SFP L2 Management Switch, 4K of 802.1Q VLAN Support, QoS support, Traffic Segmentation, Bandwidth Control (Per port granularity 64Kb/s), 512 profiles, 512 rules ACL, IP-MAC-Port Binding, Selective QinQ, Port Security, IGMP snooping, Port mirroring, 802.1D (STP), 802.1w (RSTP), 802.1s MSTP, STP Loopback Detection, 802.3ad Link Aggregation, 802.1x Port-based Access Control, 802.1x MAC-based Access Control, 802.1x Guest VLAN, Single IP Management, Web-configuration, CLI, Telnet, TFTP, SNMP v3, DES-3200-28/ME</p>	318.55
650	<p>Komutātors, 24-Port 10/100Mbps PoE + 2 Combo 1000BASE-T/SFP + 2 10/100/1000BASE-T L2 Management Switch, PoE up to 30W on port, Power Budget 188W, Port 1-4: 30W, Port 5-24: 15.4W, 16K MAC address, 4K of 802.1Q VLAN Support, QoS support, Traffic Segmentation, Bandwidth Control (Per port granularity 64Kb/s), 512 profiles, 512 rules ACL, IP-MAC-Port Binding, Selective QinQ, Port Security, IGMP snooping, Port mirroring, 802.1D (STP), 802.1w (RSTP), 802.1s MSTP, STP Loopback Detection, ERPS, 802.3ad Link Aggregation, 802.1x Port-based Access Control, 802.1x MAC-based Access Control, 802.1x Guest VLAN, Single IP Management, Web-configuration, CLI, Telnet, TFTP, SNMP v3</p>	<p>Komutātors, 24-Port 10/100Mbps PoE + 2 Combo 1000BASE-T/SFP + 2 10/100/1000BASE-T L2 Management Switch, PoE up to 30W on port, Power Budget 188W, Port 1-4: 30W, Port 5-24: 15.4W, 16K MAC address, 4K of 802.1Q VLAN Support, QoS support, Traffic Segmentation, Bandwidth Control (Per port granularity 64Kb/s), 512 profiles, 512 rules ACL, IP-MAC-Port Binding, Selective QinQ, Port Security, IGMP snooping, Port mirroring, 802.1D (STP), 802.1w (RSTP), 802.1s MSTP, STP Loopback Detection, ERPS, 802.3ad Link Aggregation, 802.1x Port-based Access Control, 802.1x MAC-based Access Control, 802.1x Guest VLAN, Single IP Management, Web-configuration, CLI, Telnet, TFTP, SNMP v3, DES-3200-28P</p>	432.00

651	Komutators, 48-Port 10/100Mbps + 2 Combo 1000BASE-T/SFP + 2 100/1000 SFP L2 Management Switch , 16K MAC address, 4K of 802.1Q VLAN Support, QoS support, Traffic Segmentation, Bandwidth Control (Per port granularity 64Kb/s), 512 profiles, 512 rules ACL, IP-MAC-Port Binding, Selective QinQ, Port Security, IGMP snooping, Port mirroring, 802.1D (STP), 802.1w (RSTP), 802.1s MSTP, STP Loopback Detection, ERPS, 802.3ad Link Aggregation, 802.1x Port-based Access Control, 802.1x MAC-based Access Control, 802.1x Guest VLAN, Single IP Management, Web-configuration, CLI, Telnet, TFTP, SNMP v3	Komutators, 48-Port 10/100Mbps + 2 Combo 1000BASE-T/SFP + 2 100/1000 SFP L2 Management Switch , 16K MAC address, 4K of 802.1Q VLAN Support, QoS support, Traffic Segmentation, Bandwidth Control (Per port granularity 64Kb/s), 512 profiles, 512 rules ACL, IP-MAC-Port Binding, Selective QinQ, Port Security, IGMP snooping, Port mirroring, 802.1D (STP), 802.1w (RSTP), 802.1s MSTP, STP Loopback Detection, ERPS, 802.3ad Link Aggregation, 802.1x Port-based Access Control, 802.1x MAC-based Access Control, 802.1x Guest VLAN, Single IP Management, Web-configuration, CLI, Telnet, TFTP, SNMP v3, DES-3200-52	382.36
652	Komutators, 48-Port 10/100Mbps PoE + 2 Combo 1000BASE-T/SFP + 2 10/100/1000BASE-T L2 Management Switch, PoE up to 30W on port, Power Budget 370W, Port 1-8: 30W, Port 9-48: 15.4W , 16K MAC address, 4K of 802.1Q VLAN Support, QoS support, Traffic Segmentation, Bandwidth Control (Per port granularity 64Kb/s), 512 profiles, 512 rules ACL, IP-MAC-Port Binding, Selective QinQ, Port Security, IGMP snooping, Port mirroring, 802.1D (STP), 802.1w (RSTP), 802.1s MSTP, STP Loopback Detection, ERPS, 802.3ad Link Aggregation, 802.1x Port-based Access Control, 802.1x MAC-based Access Control, 802.1x Guest VLAN, Single IP Management, Web-configuration, CLI, Telnet, TFTP, SNMP v3	Komutators, 48-Port 10/100Mbps PoE + 2 Combo 1000BASE-T/SFP + 2 10/100/1000BASE-T L2 Management Switch, PoE up to 30W on port, Power Budget 370W, Port 1-8: 30W, Port 9-48: 15.4W , 16K MAC address, 4K of 802.1Q VLAN Support, QoS support, Traffic Segmentation, Bandwidth Control (Per port granularity 64Kb/s), 512 profiles, 512 rules ACL, IP-MAC-Port Binding, Selective QinQ, Port Security, IGMP snooping, Port mirroring, 802.1D (STP), 802.1w (RSTP), 802.1s MSTP, STP Loopback Detection, ERPS, 802.3ad Link Aggregation, 802.1x Port-based Access Control, 802.1x MAC-based Access Control, 802.1x Guest VLAN, Single IP Management, Web-configuration, CLI, Telnet, TFTP, SNMP v3, DES-3200-52P	830.00
653	Komutators, 24-Port 10/100Mbps + 2 Combo Copper/SFP + 2 1000 Mbps Copper L2+, Flow control, VLAN, Port Trunk, SNMP, RMON Management Features. QoS support based on traffic prioritization. SaveGuard engine, IMPB, 802.1x, port security, ACL, Access Security, STP, 802.1s (MSTP), IGMP, Radius Authentication, Redundant Backup Power Supplies	Komutators, 24-Port 10/100Mbps + 2 Combo Copper/SFP + 2 1000 Mbps Copper L2+, Flow control, VLAN, Port Trunk, SNMP, RMON Management Features, QoS support based on traffic prioritization, SaveGuard engine, IMPB, 802.1x, port security, ACL, Access Security, STP, 802.1s (MSTP), IGMP, Radius Authentication, Redundant Backup Power Supplies, DES-3528	255.00
654	Komutators, 24-Port 10/100Mbps with POE support + 2 Combo Copper/SFP + 2 1000 Mbps Copper L2+, Flow control, VLAN, Port Trunk, SNMP, RMON Management Features, POE Output capacity 370W, QoS support based on traffic prioritization, IMPB, 802.1x, port security, ACL, Access Security, STP, 802.1s (MSTP), IGMP, Radius Authentication, Redundant Backup Power Supplies	Komutators, 24-Port 10/100Mbps with POE support + 2 Combo Copper/SFP + 2 1000 Mbps Copper L2+, Flow control, VLAN, Port Trunk, SNMP, RMON Management Features, POE Output capacity 370W, QoS support based on traffic prioritization, IMPB, 802.1x, port security, ACL, Access Security, STP, 802.1s (MSTP), IGMP, Radius Authentication, Redundant Backup Power Supplies, DES-3528P	412.00

655	Komutātors, 48-Port 10/100Mbps + 2 Combo Copper/SFP + 2 1000 Mbps Copper, Flow control, VLAN, Port Trunk, SNMP, RMON Management Features, QoS support based on traffic prioritization, SaveGuard engine, IMPB, 802.1x, port security, ACL, Access Security, STP, 802.1s (MSTP), IGMP, Radius Authentication, Redundant Backup Power Supplies	Komutātors, 48-Port 10/100Mbps + 2 Combo Copper/SFP + 2 1000 Mbps Copper, Flow control, VLAN, Port Trunk, SNMP, RMON Management Features, QoS support based on traffic prioritization, SaveGuard engine, IMPB, 802.1x, port security, ACL, Access Security, STP, 802.1s (MSTP), IGMP, Radius Authentication, Redundant Backup Power Supplies, DES-3552	510.00
656	Komutātors, 48-Port 10/100Mbps with PoE(802.3af) + 2 Combo Copper/SFP + 2 1000 Mbps Copper, Flow control, VLAN, Port Trunk, SNMP, RMON Management Features, PoE up to 30W on port, Power Budget 370W, Port 1-8: 30W, Port 9-48: 15.4W, QoS support based on traffic prioritization, IMPB, 802.1x, port security, ACL, Access Security, STP, 802.1s (MSTP), IGMP, Radius Authentication, Redundant Backup Power Supplies	Komutātors, 48-Port 10/100Mbps with PoE(802.3af) + 2 Combo Copper/SFP + 2 1000 Mbps Copper, Flow control, VLAN, Port Trunk, SNMP, RMON Management Features, PoE up to 30W on port, Power Budget 370W, Port 1-8: 30W, Port 9-48: 15.4W, QoS support based on traffic prioritization, IMPB, 802.1x, port security, ACL, Access Security, STP, 802.1s (MSTP), IGMP, Radius Authentication, Redundant Backup Power Supplies, DES-3552P	655.00
657	Komutātors, 24-Port 10/100Mbps + 4 Combo 1000BASE-T/SFP L3 Managed Switch, 802.1D (STP), 802.1w (RSTP), 802.1s (MSTP), 802.3ad Link Aggregation, QoS support, Port mirroring, IGMP snooping, ISM VLAN, RSPAN, MLD Snooping, 802.1Q VLAN, GVRP support, 802.1V, Selective/port based QinQ, VoiceVLAN, BGP, MPLS(in further releases) Ipv4 support, Static Routing, RIP v1/v2, OSPF, VRRP support, QoS, IGMP, DVMRP, PIM DM support, OAM 802.3ah/ag, IMPB, ACL, SSH, SSL, 802.1x, Port Security support, Traffic Segmentation, MAC-IP Binding, Bandwidth Control (Per port granularity 64Kb/s), Single IP Management, Web-configuration, CLI, Telnet, SNMP v3, Redundant Backup Power Supplies	Komutātors, 24-Port 10/100Mbps + 4 Combo 1000BASE-T/SFP L3 Managed Switch, 802.1D (STP), 802.1w (RSTP), 802.1s (MSTP), 802.3ad Link Aggregation, QoS support, Port mirroring, IGMP snooping, ISM VLAN, RSPAN, MLD Snooping, 802.1Q VLAN, GVRP support, 802.1V, Selective/port based QinQ, VoiceVLAN, BGP, MPLS(in further releases) Ipv4 support, Static Routing, RIP v1/v2, OSPF, VRRP support, QoS, IGMP, DVMRP, PIM DM support, OAM 802.3ah/ag, IMPB, ACL, SSH, SSL, 802.1x, Port Security support, Traffic Segmentation, MAC-IP Binding, Bandwidth Control (Per port granularity 64Kb/s), Single IP Management, Web-configuration, CLI, Telnet, SNMP v3, Redundant Backup Power Supplies, DES-3810-28/EI	432.00
658	Komutātors, 48-Port 10/100Mbps + 2 SFP + 2 Combo 1000Base-T/SFP L3 Managed Switch, 802.1D (STP), 802.1w (RSTP), 802.1s (MSTP), 802.3ad Link Aggregation, QoS support, Port mirroring, IGMP snooping, ISM VLAN, RSPAN, MLD Snooping, 802.1Q VLAN, GVRP support, 802.1V, Selective/port based QinQ, VoiceVLAN, BGP, MPLS(in further releases) Ipv4 support, Static Routing, RIP v1/v2, OSPF, VRRP support, QoS, IGMP, DVMRP, PIM DM support, OAM 802.3ah/ag, IMPB, ACL, SSH, SSL, 802.1x, Port Security support, Traffic Segmentation, MAC-IP Binding, Bandwidth Control (Per port granularity 64Kb/s), Single IP Management, Web-configuration, CLI, Telnet, SNMP v3, Redundant Backup Power Supplies	Komutātors, 48-Port 10/100Mbps + 2 SFP + 2 Combo 1000Base-T/SFP L3 Managed Switch, 802.1D (STP), 802.1w (RSTP), 802.1s (MSTP), 802.3ad Link Aggregation, QoS support, Port mirroring, IGMP snooping, ISM VLAN, RSPAN, MLD Snooping, 802.1Q VLAN, GVRP support, 802.1V, Selective/port based QinQ, VoiceVLAN, BGP, MPLS(in further releases) Ipv4 support, Static Routing, RIP v1/v2, OSPF, VRRP support, QoS, IGMP, DVMRP, PIM DM support, OAM 802.3ah/ag, IMPB, ACL, SSH, SSL, 802.1x, Port Security support, Traffic Segmentation, MAC-IP Binding, Bandwidth Control (Per port granularity 64Kb/s), Single IP Management, Web-configuration, CLI, Telnet, SNMP v3, Redundant Backup Power Supplies, DES-3200-52P	707.00

659	NVIDIA Geforce GTX 760 / PCI-E 3.0 / 4GB GDDR5 / 256-bit / Core 1085MHz / Memo 6008 MHz / 1x DVI-I / DVI-Dx1 / 1xDisplayPort / 1xHDMI	NVIDIA Geforce GTX 760 / PCI-E 3.0 / 4GB GDDR5 / 256-bit / Core 1085MHz / Memo 6008 MHz / 1x DVI-I / DVI-Dx1 / 1xDisplayPort / 1xHDMI	198.00
660	NVIDIA Geforce GTX 770 / PCI-E 3.0 / 2GB GDDR5 / 256-bit / Core 1137 MHz / Memo 7010 MHz / 1x Dual-link DVI-I / DVI-Dx1 / 1xDisplayPort / 1xHDMI	NVIDIA Geforce GTX 770 / PCI-E 3.0 / 2GB GDDR5 / 256-bit / Core 1137 MHz / Memo 7010 MHz / 1x Dual-link DVI-I / DVI-Dx1 / 1xDisplayPort / 1xHDMI	312.00
661	NVIDIA Geforce GTX 770 / PCI-E 3.0 / 4GB GDDR5 / 256-bit / Memo 7010 MHz / 1x Dual-link DVI-I / DVI-Dx1 / 1xDisplayPort / 1xHDMI	NVIDIA Geforce GTX 770 / PCI-E 3.0 / 4GB GDDR5 / 256-bit / Memo 7010 MHz / 1x Dual-link DVI-I / DVI-Dx1 / 1xDisplayPort / 1xHDMI	318.00
662	NVIDIA Geforce GTX 770/ PCI-E 3.0 / 2GB GDDR5 / 256-bit / Memo 7010 MHz / Core 1046 MHz / 1xDVI-I / 1xHDMI / 1x DisplayPort / 1xDVI-D	NVIDIA Geforce GTX 770/ PCI-E 3.0 / 2GB GDDR5 / 256-bit / Memo 7010 MHz / Core 1046 MHz / 1xDVI-I / 1xHDMI / 1x DisplayPort / 1xDVI-D	250.00
663	NVIDIA Geforce GTX 770/ PCI-E 3.0 / 4GB GDDR5 / 256-bit / Memo 7010 MHz / Core 1046 MHz / 1xDual-link DVI-I / 1xHDMI / 1x DisplayPort / 1xDVI-D	NVIDIA Geforce GTX 770/ PCI-E 3.0 / 4GB GDDR5 / 256-bit / Memo 7010 MHz / Core 1046 MHz / 1xDual-link DVI-I / 1xHDMI / 1x DisplayPort / 1xDVI-D	189.00
664	NVIDIA Geforce GTX 780 / PCI-E 3.0 / 3GB GDDR5 / 384-bit / Core 954 MHz / Memo 6008 MHz / 1x DVI-I / DVI-Dx1 / 1xDisplayPort / 1xHDMI	NVIDIA Geforce GTX 780 / PCI-E 3.0 / 3GB GDDR5 / 384-bit / Core 954 MHz / Memo 6008 MHz / 1x DVI-I / DVI-Dx1 / 1xDisplayPort / 1xHDMI	316.00
665	NVIDIA Geforce GTX 780/ PCI-E 3.0 / 3GB GDDR5 / 384-bit / Memo 6008 MHz / Core 863 MHz / 1xDVI-I / 1xHDMI / 1x DisplayPort / 1xDVI-D	NVIDIA Geforce GTX 780/ PCI-E 3.0 / 3GB GDDR5 / 384-bit / Memo 6008 MHz / Core 863 MHz / 1xDVI-I / 1xHDMI / 1x DisplayPort / 1xDVI-D	278.00
666	NVIDIA Geforce GTX 780 Ti/ PCI-E 3.0 / 3GB GDDR5 / 384-bit / 1xDVI-I / 1xHDMI / 1x DisplayPort / 1xDVI-D	NVIDIA Geforce GTX 780 Ti/ PCI-E 3.0 / 3GB GDDR5 / 384-bit / 1xDVI-I / 1xHDMI / 1x DisplayPort / 1xDVI-D	702.00
667	Geforce GTX 780Ti / PCI-E 3.0 / 3GB GDDR5 / 384-bit / DVI-D / DVI-I / HDMI / DP	Geforce GTX 780Ti / PCI-E 3.0 / 3GB GDDR5 / 384-bit / DVI-D / DVI-I / HDMI / DP	412.00
668	Radeon R9 270X/ PCI-E 3.0 / 2GB GDDR5 / 256-bit / Memo 5600 MHz / 1xDVI-I / 1xDVI-D/1xHDMI / 1xDisplayPort	Radeon R9 270X/ PCI-E 3.0 / 2GB GDDR5 / 256-bit / Memo 5600 MHz / 1xDVI-I / 1xDVI-D/1xHDMI / 1xDisplayPort	212.00
669	Radeon R9 270X/ PCI-E 3.0 / 2GB GDDR5 / 256-bit / Memo 5600 MHz / 1xDVI-I / 1xDVI-D/1xHDMI / 1xDisplayPort / BF4 coupon	Radeon R9 270X/ PCI-E 3.0 / 2GB GDDR5 / 256-bit / Memo 5600 MHz / 1xDVI-I / 1xDVI-D/1xHDMI / 1xDisplayPort / BF4 coupon	214.00
670	Radeon R9 280X/ PCI-E 3.0 / 3GB GDDR5 / 384-bit / Memo 6000 MHz / Core 1000 MHz / 1xDVI-I / 1xHDMI / 2xmini DisplayPort / BF4 coupon	Radeon R9 280X/ PCI-E 3.0 / 3GB GDDR5 / 384-bit / Memo 6000 MHz / Core 1000 MHz / 1xDVI-I / 1xHDMI / 2xmini DisplayPort / BF4 coupon	225.00
671	Radeon R9 290/ PCI-E 3.0 / 4GB GDDR5 / 512-bit / Memo 5000 MHz / 2xDVI-D / 1xHDMI / 1xDisplayPort	Radeon R9 290/ PCI-E 3.0 / 4GB GDDR5 / 512-bit / Memo 5000 MHz / 2xDVI-D / 1xHDMI / 1xDisplayPort	209.00
672	Radeon R9 290/ PCI-E 3.0 / 4GB GDDR5 / 512-bit / Memo 5000 MHz / 2xDVI-D / 1xHDMI / 1xDisplayPort / BF4 coupon	Radeon R9 290/ PCI-E 3.0 / 4GB GDDR5 / 512-bit / Memo 5000 MHz / 2xDVI-D / 1xHDMI / 1xDisplayPort / BF4 coupon	212.00
673	Radeon R9 290X/ PCI-E 3.0 / 4GB GDDR5 / 512-bit / Core 1000 MHz / Memo 5000 MHz / 2xDVI-D / 1xHDMI / 1xDisplayPort	Radeon R9 290X/ PCI-E 3.0 / 4GB GDDR5 / 512-bit / Core 1000 MHz / Memo 5000 MHz / 2xDVI-D / 1xHDMI / 1xDisplayPort	215.00
674	Radeon R9 290X/ PCI-E 3.0 / 4GB GDDR5 / 512-bit / Core 1000 MHz / Memo 5000 MHz / 2xDVI-D / 1xHDMI / 1xDisplayPort / BF4 Cupon	Radeon R9 290X/ PCI-E 3.0 / 4GB GDDR5 / 512-bit / Core 1000 MHz / Memo 5000 MHz / 2xDVI-D / 1xHDMI / 1xDisplayPort / BF4 Cupon	216.00

675	18+1 DVI-D Splitter cable,DVI-> 2*HDMI	18+1 DVI-D Splitter cable.DVI-> 2*HDMI	6.10
676	1.5m HDMI cable type A male - HDMI type A male,1.4 version, bulk cable,	1.5m HDMI cable type A male - HDMI type A male,1.4 version, bulk cable,	1.30
677	1.8m XGA Monitor extention cable with ferrite Core,15pin, bulk cable	1.8m XGA Monitor extention cable with ferrite Core,15pin, bulk cable	2.40
678	1.8m XGA Monitor connect bulk cable with ferrite Core,15pin, bulk cable	1.8m XGA Monitor connect bulk cable with ferrite Core,15pin, bulk cable	2.40
679	10m HDMI cable type A male - HDMI type A male,1.4 version, bulk cable	10m HDMI cable type A male - HDMI type A male,1.4 version, bulk cable	5.50
680	10m XGA monitor conection cable with ferrite Core, bulk cable	10m XGA monitor conection cable with ferrite Core, bulk cable	5.50
681	10m XGA monitor extention cable with ferrite Core, bulk cable	10m XGA monitor extention cable with ferrite Core, bulk cable	5.50
682	15m HDMI cable type A male - HDMI type A male, bulk cable	15m HDMI cable type A male - HDMI type A male, bulk cable	9.50
683	15m XGA extension. cable with ferrite Core, bulk cable	15m XGA extension. cable with ferrite Core, bulk cable	9.50
684	15m XGA monitor conection cable with ferrite Core, bulk cable	15m XGA monitor conection cable with ferrite Core, bulk cable	9.50
685	1m HDMI cable type A male - HDMI mini Typ C, bulk cable	1m HDMI cable type A male - HDMI mini Typ C, bulk cable	1.78
686	1m HDMI cable type A male - HDMI type A male,1.4 version, bulk cable	1m HDMI cable type A male - HDMI type A male,1.4 version, bulk cable	1.27
687	20m HDMI cable type A male - HDMI type A male, bulk cable	20m HDMI cable type A male - HDMI type A male, bulk cable	14.55
688	20m XGA monitor connection cable with ferrite Core, bulk cable	20m XGA monitor connection cable with ferrite Core, bulk cable	14.33
689	2m DVI - DVI cabel, male type, digital dual link, bulk cable	2m DVI - DVI cabel, male type, digital dual link, bulk cable	2.10
690	2m Display Port Cable, 2x 20-pin male, double shielded, black,	2m Display Port Cable, 2x 20-pin male, double shielded, black,	2.10
691	2m HDMI cable type A male - HDMI mini Typ C, bulk cable	2m HDMI cable type A male - HDMI mini Typ C, bulk cable	2.10
692	2m HDMI cable type A male - Displayport male, bulk cable	2m HDMI cable type A male - Displayport male, bulk cable	2.12
693	2m Mini Displayport male-Displayport male, bulk cable	2m Mini Displayport male-Displayport male, bulk cable	2.11
694	3m HDMI cable type A male - HDMI type A male,1.4 version, bulk cable	3m HDMI cable type A male - HDMI type A male,1.4 version, bulk cable	2.13
695	3m XGA Monitor extension cable with ferrite Core,15pin, bulk cable	3m XGA Monitor extension cable with ferrite Core,15pin, bulk cable	2.90
696	3m Display Port Cable, 2x 20-pin male, double shielded, black,	3m Display Port Cable, 2x 20-pin male, double shielded, black,	5.68
697	3m HDMI cable type A male - DVI-D type A male, bulk cable	3m HDMI cable type A male - DVI-D type A male, bulk cable	5.02
698	3m HDMI cable type A male - HDMI mini Typ C, bulk cable	3m HDMI cable type A male - HDMI mini Typ C, bulk cable	5.11
699	3m HDMI cable type A male - Displayport male, bulk cable	3m HDMI cable type A male - Displayport male, bulk cable	9.10
700	3m XGA Monitor connect. bulk cable with ferrite Core,15pin, bulk cable	3m XGA Monitor connect. bulk cable with ferrite Core,15pin, bulk cable	2.40
701	3m, DVI - DVI cabel, male type, digital dual link, bulk cable	3m, DVI - DVI cabel, male type, digital dual link, bulk cable	4.60
702	5m HDMI cable type A male - HDMI type A female, (extender) 1.4 version, bulk cable	5m HDMI cable type A male - HDMI type A female, (extender) 1.4 version, bulk cable	3.45

703	5m HDMI cable type A male - HDMI type A male, 1.4 version, bulk cable	5m HDMI cable type A male - HDMI type A male, 1.4 version, bulk cable	9.00
704	5m XGA Monitor extend. bulk cable with ferrite Core, 15pin,	5m XGA Monitor extend. bulk cable with ferrite Core, 15pin,	2.00
705	5m, DVI-D (24+1) - DVI-D (24+1), male type, digital dual link, bulk cable	5m, DVI-D (24+1) - DVI-D (24+1), male type, digital dual link, bulk cable	4.71
706	5m, HDMI cable type A male - HDMI mini Typ C, bulk cable	5m, HDMI cable type A male - HDMI mini Typ C, bulk cable	3.87
707	USB 2.0 "Y" cable male A x2 - mini USB 5 pin B male, 0.6 m	USB 2.0 "Y" cable male A x2 - mini USB 5 pin B male, 0.6 m	
708	USB 2.0 bulk cable A Type Male - A Type Female, 5m,	USB 2.0 bulk cable A Type Male - A Type Female, 5m,	1.05
709	USB 2.0 bulk cable A Type Male - A Type Female, 2m	USB 2.0 bulk cable A Type Male - A Type Female, 2m	0.66
710	USB 2.0 bulk cable A Type Male - A Type Female, 3m	USB 2.0 bulk cable A Type Male - A Type Female, 3m	0.77
711	USB 2.0 bulk cable A type male B type male 1,8m	USB 2.0 bulk cable A type male B type male 1,8m	0.55
712	USB 2.0 bulk cable A type male B type male 3m	USB 2.0 bulk cable A type male B type male 3m	0.77
713	USB 2.0 bulk cable A type male B type male 5m	USB 2.0 bulk cable A type male B type male 5m	1.10
714	USB bulk cable A male - USB B-Mini (5-pin) male 1m	USB bulk cable A male - USB B-Mini (5-pin) male 1m	0.50
715	USB connection cable, USB A - Micro USB B, 0.3m, CU, AWG28, 2x shielded, M/M, UL, black	USB connection cable, USB A - Micro USB B, 0.3m, CU, AWG28, 2x shielded, M/M, UL, black	0.65
716	USB SLOT Blende USB 2.0 2x 5 PIN Stecker 0,2m	USB SLOT Blende USB 2.0 2x 5 PIN Stecker 0,2m	1.14
717	PCI-Express card, 2 x USB 3.0	PCI-Express card, 2 x USB 3.0	12.00
718	PCI-Express USB 3.0 card, 2 x external+ 2 internal ports	PCI-Express USB 3.0 card, 2 x external+ 2 internal ports	21.00
719	USB 2.0 to IDE and SATA 2.5"/3.5" adapter	USB 2.0 to IDE and SATA 2.5"/3.5" adapter	9.95
720	USB 2.0 adapter to SERIAL adapter (DB9M)	USB 2.0 adapter to SERIAL adapter (DB9M)	4.50
721	USB 2.0 adapter to Fast Ethernet 10/100	USB 2.0 adapter to Fast Ethernet 10/100	7.33
722	USB 2.0 adapter to Paralel (LPT) DB25 , 1,8m	USB 2.0 adapter to Paralel (LPT) DB25 , 1,8m	4.97
723	USB 2.0 Repeater Cable 12m	USB 2.0 Repeater Cable 12m	17.50
724	USB 2.0 Repeater Cable 5m	USB 2.0 Repeater Cable 5m	4.70
725	USB 3.0 to SATA 2.5"/3.5" adapter	USB 3.0 to SATA 2.5"/3.5" adapter	16.00
726	USB adapter to paralel (LPT)	USB adapter to paralel (LPT)	5.00
727	Universal notebook lock, key less	Universal notebook lock, key less	3.00

VSIA „Paula Stradiņa klīniskā universitātes slimnīca”

SIA „ITS Grupa”

valdes priekšsēdētājs D. Smiņš

projekta vadītājs A. Silkalns

valdes locekle A. Čakša



Juridiskā departamenta
Iepirkumu daļas
vadītāja
Areta - Irvinska

GA 04 2014 An

VSIA "Paula Stradiņa Klīniskā
universitātes slimnīca"
Finanšu departamenta direktors
Juris Lācis

Iepirkumu daļas jurists
04.03.2014.

Informācijas teh-
niskās daļas vadītājs
Kārlis Bē

04.03.2014

32

04.03.2014